CROPLANDS

STOP

BEFORE COMMENCING

SPRAYER SPECIFICATIONS WARRANTY & PRE-DELIVERY LINKAGE

WWW.CROPLANDS.COM.AU



GENERAL MANAGER'S WELCOME



Sean Mulvaney General Manager

Dear Customer

Congratulations on the purchase of your new Croplands Sprayer.

Croplands have been in the business of building sprayer equipment since 1972. For over 49 years we have been supplying sprayers to farmers, contractors, growers and all our customers involved in growing crops and in the control of pests and diseases.

Croplands is a wholly owned subsidiary of Nufarm Ltd, the largest supplier of crop protection chemicals for Australasia, and one of the fastest growing global suppliers world-wide.

At Croplands, we pride ourselves on our commitment to supplying machinery that is at the forefront of the industry's needs. We believe we can back up our products and through constant research and development, bring to you the best equipment you can find.

We welcome any feedback from you about our equipment. On the back cover you will find our contact details, and locations where our staff can be reached during business hours. After hours, you can email us and expect a reply the following morning.

Please read the supplied manuals in their entirety before you operate your sprayer. This will ensure you have a trouble free start up.

We trust you will get years of good use from your Croplands Sprayer. Yours Sincerely

Sean Mulvaney General Manager

Croplands has taken steps to ensure this operator's manual is as current and as accurate as possible. Due to the ever-changing markets of cropping and farming, Croplands is constantly striving to be at the forefront of innovation and technology. While the information in this manual is considered accurate at the time of writing, Croplands reserves the right to change this information without notice. Croplands will not accept liability for any inaccuracy in this publication, or changes forthwith.

CONTENTS

- Sprayer Specifications & Factory Fitted Options
- Online Parts Information
- Transport & Product ID
- Safety Information
- Warranty Policy
- Pre-Delivery Check List
- Warranty Registration

SPRAYER SPECIFICATIONS & FACTORY FITTED OPTIONS

IMPORTANT! Please keep this unique Serial Number & Sprayer Specification Sheet for future reference.

Dealer Copy

Remove this page and store it with the "yellow":

- Predelivery Check List page and
- Warranty Registration page.

ONLINE PARTS INFORMATION WARRANTY & PRE-DELIVERY

Please see your Croplands Equipment dealer for provision of all Warranty Services

Croplands Customer Service

Australia

Freecall: **1800 999 162** Freefax: **1800 623 778** sales@croplands.com.au **www.croplands.com.au**

New Zealand

Freecall: **0800 106 898** Freefax: **0800 117 711** sales@croplands.co.nz **www.croplands.co.nz**

Note: One Operators Manual is supplied with each sprayer and does not include detailed parts information. Parts information is provided online & must be sourced from the Croplands website.

SPRAYER SPECIFICATIONS & FACTORY FITTED OPTIONS

IMPORTANT! Please keep this unique Serial Number & Sprayer Specification Sheet for future reference.

Owner Copy

DO NOT REMOVE this page.

ONLINE PARTS INFORMATION WARRANTY & PRE-DELIVERY

Please see your Croplands Equipment dealer for provision of all Warranty Services

Croplands Customer Service

Australia

Freecall: **1800 999 162** Freefax: **1800 623 778** sales@croplands.com.au **www.croplands.com.au**

New Zealand

Freecall: **0800 106 898** Freefax: **0800 117 711** sales@croplands.co.nz **www.croplands.co.nz**

Note: One Operators Manual is supplied with each sprayer and does not include detailed parts information. Parts information is provided online & must be sourced from the Croplands website.

TRANSPORT & PRODUCT ID

TRANSPORT

See Operator Manual for sprayer size, weights and towing speeds.

Where applicable, all controllers, manuals, wiring looms, etc, are supplied in a separate, sturdy, weather resistant transport box.



A transport box

PRODUCT IDENTIFICATION

Always use the serial number of the Sprayer when requesting service information or when ordering parts.

Early or later models (identification made by serial number) may use different parts, or it may be necessary to use a different procedure for specific service operations.



Sprayer Serial Number

Sprayer Serial Number Plate

The Sprayer Serial Number Plate is located on the chassis above the hitch adjustment **(A)**.

This plate shows name of manufacturer, serial number, product code and date of manufacture.

AR PUMP SERIAL NUMBER



AR Pump Serial Number

The AR Pump Serial Number Plate is located on the pump **(B)**.

This plate shows name of manufacturer, serial number, type of pump, year of manufacture, maximum flow rate and maximum working pressure of the pump.

CONTROLLER SERIAL NUMBER(S)

Controller serial numbers are generally located at the:

 Rear (eg, Bravo 180 [X], HV4000 & MT3405 [not shown]),

or

• Side (eg, WEED-IT Controller [not shown].



Bravo 180/S Controller

SECTION 2 SAFETY

SAFETY FIRST

Please read and understand all supplied manuals, guides and safety decals before operating this sprayer. This includes the **Croplands Operators Safety Manual** – as pictured here.

This manual is available on the Croplands Web site, or for printed versions contact Croplands customer support and ask for part number GP-SAFE-A (or later version if available).





WARRANTY POLICY

WARRANTY POLICY

Croplands Equipment Pty Ltd (trading as Croplands) warrants to its authorised Dealer, who in turn, warrants to the original purchaser (Owner) that each new Croplands' sprayer, part or accessory will be free from proven defects in material and workmanship for twelve (12) months from the date of delivery to the first Owner according to the conditions outlined. This warranty does not cover damages resulting from abuse, accidents, alterations, normal wear or failure to maintain or use the Croplands product with due care.

During the warranty period, the authorised Croplands Dealer shall repair or replace, at Croplands option, without charge for parts and labour any part of the Croplands product, which fails because of defects in material or workmanship. The Owner must provide the authorised Dealer with prompt written notice of the defect (within 14 days of its occurrence), and allow reasonable time for replacement or repair. Repair may, at Croplands option, include the replacement of parts with functionally equivalent reconditioned or new parts. Replacement parts will be warranted for the balance of the original warranty period or for ninety (90) days, which ever is longer. Croplands (at its option) may request failed parts to be returned to the factory. Any travel time of a service technician and/or transportation of the Croplands product to the authorised servicing Dealer for warranty work are the responsibility of the Owner.

EXCLUSIVE EFFECT OF WARRANTY AND LIMITATION OF LIABILITY THIS WARRANTY IS IN LIEU OF ALL WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PURPOSE OR OTHER REPRESENTATIONS, WARRANTIES OR CONDITIONS, EXPRESSED OR IMPLIED. The remedies of the Owner set forth herein are exclusive. CROPLANDS neither assumes nor authorises any person to assume for it any other obligation or liability in connection with the sale of covered machines. Correction of defects, in the manner and for applicable period of time provided above, shall constitute fulfillment of all responsibilities of CROPLANDS to the Owner, and CROPLANDS shall not be liable for negligence under contract or in any manner with respect to such machines. IN NO EVENT SHALL THE OWNER BE ENTITLED TO RECOVER FOR INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES SUCH AS BUT NOT LIMITED TO, LOSS OF CROPS, LOSS OF PROFITS OR REVENUE, OTHER COMMERCIAL LOSSES, INCONVENIENCE OR COST OF RENTAL OR REPLACEMENT EQUIPMENT.

CONDITIONS OF WARRANTY

- 1. The warranty is not transferable.
- 2. The Warranty Registration Form must be returned to Croplands by the Owner Operator within 14 days of taking delivery of the unit. Only when warranty registration is completed and returned, can Croplands fulfill all warranty obligations.
- 3. Schedule of components and conditions not covered by warranty are:

Abuse	Failure resulting from neglect, such as improper operation, lack of required maintenance or continued use of a sprayer after the discovery of a defect which results in greater damage to the unit.
Environmental Conditions and	Deteriorated or failed components such as: diaphragms, O-rings, hoses, seals, electrical wiring and connections damaged by corrosive chemicals, dirt and sand, excessive heat or moisture. Owners should en sure the type and strength of chemicals used in the sprayer are compatible with the design of the unit.
Application	Warranty determination for these types of failures will be made by Croplands only after inspection of failed components. In most instances these will incur inspection charges and cost of replacement parts.
Normal Wear	Normal wear and consumable items such as: oils and lubricants, diaphragms, filter elements, flowmeters, clutches, bearings, fan belts, drive belts, pivot pins, paint, light bulbs and nozzles are considered to be normal wear items and are not warranted.
Maintenance	Component failure caused by not performing scheduled maintenance service such as: oils, grease, failure to clean tanks, pumps, filters, spray lines, nozzles or any other blocked components. Not tightening or replacing loose or missing bolts, nuts, fittings, shields and covers.
Damage	Damages or machine failure caused by carelessness or accidental damage, improper operation, excessive speed during travel and operation, inappropriate transportation or storage of the sprayer or attachment.
Power Source	Failures due to faulty or inadequate electrical sources of power. Owners who use their own 12 volt power source must make sure that it is suitable for operating the spraying equipment.
Alterations	Any unauthorised alteration, modification, attachments or unauthorised repairs to the Croplands sprayer or attachments. Written approval must be obtained from Croplands for any such items to maintain warranty.
Removal & Installation	The time taken to remove and re-install a warranted part or component into other brands of sprayers will not be covered by Croplands warranty. Only parts and labour directly attributable to the repair of the Croplands unit is covered.
Clean-up Time	Croplands do not pay for cleaning the sprayer, parts, accessories or work area before or after the warranty repair. Clean-up time is affected primarily by the application or conditions in which the sprayer is operated and maintained. Since clean-up time can be so variable, cleaning time should be considered a customer expense.
Transportation	Warranty does not cover transportation or insurance costs for sprayers or other equipment needing repair or re placement of warranted components. Nor does it cover any freight or insurance costs in obtaining new parts or returning old parts to Croplands for inspection purposes.
Costs	Warranty does not cover time required to diagnose a warranty problem. Diagnostic time is affected greatly by the training and expertise of the technician employed to do the job. With proper training of service personnel, diagnostic time should be at a minimum.
Diagnostic Time	Croplands expects that Dealers will assign a well trained and proficient technician to handle any warranty repairs. Since Croplands is not in control of either of these responsibilities, we elect not to cover diagnostic time.
Non-Genuine Parts	Use of parts other than Croplands parts for repair of warranted parts will automatically negate any warranty. Warranted components must be replaced with genuine Croplands repair parts.
Unauthorised Repairs	Repairs by an unauthorised agent will automatically forfeit any warranty. An authorised Croplands Dealer must carry out warranty repairs.

PRE-DELIVERY CHECKLIST

The Pre-Delivery Check List must be completed by the Dealer & signed by both the Dealer and the Owner, and the white copy returned by the Dealer to Croplands.

✓ Tick each box to affirm completion	✓ Tick each box to affirm completion	✓ Tick each box to affirm completion	OWNER
1 Operator's Manuals Supplied	8 Pressure Lines	Check nozzle mountings tight	Farmer
Sprayer Operators Manual	Undamaged	Grease boom hinge points	
Spray Controller Manual	Hoses - no kinks or restrictions	Fold boom to transport position & check	Contractor
Pump Manual	All hoses sealed (no leakages)	hoses do not kink or jam on folding	
WEED-IT Manual (if applicable)	Filter clean & sealed	16 Quantum Mist Fan (if applicable)	Owner's Name (print)
Safety Manual	Tighten all hose clamps	Undamaged	
2 Spray Tank	9 Chem-E-Flush	Adjust mounting bracket/fan position	Address
Undamaged	Check unit is undamaged	Bolts tight	7.441 <i>035</i>
Check lid opens & seals shut correctly	Check hoses/fittings seal correctly	Fan guard fitted securely	
Basket strainer in place	Check Chem-E-Flush operation	Nozzles fitted correctly	
Agitation working	10 Controllers	Nozzles adjusted to suit application Check hydraulic oil level in tractor	
3 Fresh Water & Flush Tanks	Check installation	Check hydraulic oil level in tractor Check hydraulic hose & connections	Postcode
Undamaged	Check battery connection	Check fan operation	Phone
Check fittings	Fully check controls operation	Confirm case drain connections	
Check operation	11 Chemical Probe (if ordered)	Hydraulic system corrosion painted	Mobile
4 Check all tank fittings are sealed		17 Cropair Fan (if applicable)	Email
Suction line	Undamaged Check fittings seal correctly	Undamaged	
Drain outlet	Check probe operation	Bolts tight	
By-pass line	Check camlock tethers	Confirm drive shaft fitted and secure	
Mixing basket line	12 Automatic Controller(s)	Fan guard fitted securely	Signature of Owner
Agitators	Check installation	Correct Nozzles fitted & adjusted to suit	Date/ /
5 Pump	Check installation Check battery connection	Check fan operation	
Check mountings	Calibrate controller(s)	18 WEED-IT System (if applicable)	
Check oil level	Fully check controller operation		DEALER
Check air chamber pressure	13 Nozzles	Check Wi sensor height & spacing Check plumbing connections	Dealership Name (print)
Check operation	Undamaged	Check electrical connections	Dealership Hame (phili)
6 PTO Drive	Nozzle filters clean	Check & calibrate controller operation	
	Nozzles correct type throughout	Check PAV air system operation	Address
Check quick release pins operate easily and lock into place	Nozzle caps sealed (no leakages)	Confirm operation of speed sensors	
Check universal joints work correctly	Non-drip diaphragms working	19 GPS Guidance	
Adjust PTO length to suit tractor			
Grease telescopic sliding shaft	14 Lift Device (if fitted)	Check operation	
Grease universal joints	Undamaged	20 Decals	Postcode
Check safety shields are in place	Bolts tight	Check all decals are in place	Email
7 Suction Lines	Connect and confirm hydraulic system	21 Other	
Undamaged	Confirm free and smooth operation		
Hoses - no kinks or restrictions	15 Boom & fold (if applicable)		
All joints sealed (no air leaks)	Undamaged		Signature of Dealer Representative
Filter clean & sealed	Check height adjustment Check boom mounting bolts tight (if		Date/ /
Tighten all hose clamps	applicable)		Machine Serial #
nghien an nose ciamps	Unfold the boom		

PRE-DELIVERY CHECKLIST

The Pre-Delivery Check List must be completed by the Dealer & signed by both the Dealer and the Owner, and the white copy returned by the Dealer to Croplands.

✓ Tick each box to affirm completion	✓ Tick each box to affirm completion	✓ Tick each box to affirm completion	OWNER
1 Operator's Manuals Supplied	8 Pressure Lines	Check nozzle mountings tight	Farmer
Sprayer Operators Manual	Undamaged	Grease boom hinge points	
Spray Controller Manual	Hoses - no kinks or restrictions	Fold boom to transport position & check	Contractor
Pump Manual	All hoses sealed (no leakages)	hoses do not kink or jam on folding	
WEED-IT Manual (if applicable)	Filter clean & sealed	16 Quantum Mist Fan (if applicable)	Owner's Name (print)
Safety Manual	Tighten all hose clamps	Undamaged	
2 Spray Tank	9 Chem-E-Flush	Adjust mounting bracket/fan position	Address
Undamaged	Check unit is undamaged	Bolts tight	Address
Check lid opens & seals shut correctly	Check hoses/fittings seal correctly	Fan guard fitted securely	
Basket strainer in place	Check Chem-E-Flush operation	Nozzles fitted correctly	
Agitation working	10 Controllers	Nozzles adjusted to suit application	
3 Fresh Water & Flush Tanks	Check installation	Check hydraulic oil level in tractor	Postcode
Undamaged	Check Installation Check battery connection	Check hydraulic hose & connections	Phone
Check fittings	Fully check controls operation	Check fan operation	
Check operation		Confirm case drain connections	Mobile
4 Check all tank fittings are sealed	11 Chemical Probe (if ordered)	Hydraulic system corrosion painted	Email
	Undamaged	17 Cropair Fan (if applicable)	
Suction line	Check fittings seal correctly	Undamaged	
Drain outlet	Check probe operation	Bolts tight	
By-pass line Mixing basket line	Check camlock tethers	Confirm drive shaft fitted and secure	Signature of Owner
Agitators	12 Automatic Controller(s)	Fan guard fitted securely	Date/ /
	Check installation	Correct Nozzles fitted & adjusted to suit	Date
	Check battery connection	Check fan operation	
Check mountings	Calibrate controller(s)	18 WEED-IT System (if applicable)	DEALER
Check oil level	Fully check controller operation	Check Wi sensor height & spacing	
Check air chamber pressure	13 Nozzles	Check plumbing connections	Dealership Name (print)
Check operation	Undamaged	Check electrical connections	
6 PTO Drive	Nozzle filters clean	Check & calibrate controller operation	Address
Check quick release pins operate easily	Nozzles correct type throughout	Check PAV air system operation	Address
and lock into place	Nozzle caps sealed (no leakages)	Confirm operation of speed sensors	
Check universal joints work correctly	Non-drip diaphragms working	19 GPS Guidance	
Adjust PTO length to suit tractor	14 Lift Device (if fitted)	Check operation	
Grease telescopic sliding shaft Grease universal joints	Undamaged	20 Decals	Postcode
Check safety shields are in place	Bolts tight	Check all decals are in place	Email
	Connect and confirm hydraulic system	21 Other	
7 Suction Lines	Confirm free and smooth operation		
Undamaged	15 Boom & fold (if applicable)		
Hoses - no kinks or restrictions	Undamaged		Signature of Dealer Representative
All joints sealed (no air leaks)	Check height adjustment		•
Filter clean & sealed	Check boom mounting bolts tight (if		Date/ /
Tighten all hose clamps	applicable)		Machine Serial #
	Unfold the boom		

PRE-DELIVERY CHECKLIST

The Pre-Delivery Check List must be completed by the Dealer & signed by both the Dealer and the Owner, and the white copy returned by the Dealer to Croplands.

1 Operator's Manuels Supplied 8 Pressure Lines Check nozzle mountings tight Farmer Spray Controller Manuel Undamaged Grease boom hinge points Contractor Pump Manual All hoses scaled (no leakages) Filter clean & scaled Tighten all hose clamps VEED-IT Manual (if applicable) Safety Manual Filter clean & scaled Tighten all hose clamps Indamaged Quantum Mist Fan (if applicable) Filter clean & scaled Tighten all hose clamps Adjust mounting bracket/ fan position Owner's Name (print) Undamaged Check niti is undamaged Check hoses/ fittings scal correctly Nozzles fitted correctly Nozzles fitted correctly Basket strainer in place Check totist operation Check kinstallation Check hydraulic oil level in tractor Undamaged Check chints operation Check kinstallation Check hydraulic hose & connections Undamaged Check diltank fittings are sealed Undamaged Phone_ Undamaged Check fittings scal correctly Check fittings scal correctly Phone_ Undamaged Check fittings are sealed Undamaged Phone_ Suction line Undamaged Check fittings scal correctly
Sprayer Operators Manual Undamaged Grease boom hinge points Contractor Pump Manual Hoses - no kinks or restrictions Fold boom to transport position & check hoses do not kink or jam on folding Contractor WEED-IT Manual (if applicable) Filter clean & sealed Io dumanged Contractor Spray Tank 9 Chem-E-Flush Undamaged Adjust mounting bracket/fan position & Adjust mounting bracket/fan position Address Undamaged Check unit is undamaged Check unit is undamaged Fan guard fitted securely Nozzles fitted correctly Nozzles fitted correctly Basket strainer in place Check listallation Check hydraulic oil level in tractor Check hydraulic oil see & connections Postcode Phone Mundamaged Check fittings seal correctly Check fut posperation Check fut posperation Check fittings seal correctly Postcode Phone Mobile Undamaged Check fittings seal correctly Check fittings seal correctly Undamaged Email Email 4 Check all tank fittings are sealed Undamaged Torpair Englight Mobile Email Email 9 Check fittings seal correctly Undamaged Check fitting
Spray Controller Manual Hoses - no kinks or restrictions All hoses sealed (no leakages) Pump Manual All hoses sealed (no leakages) Fold boom to transport position & check hoses do not kink or jam on folding 2 Spray Tank 9 Chem-E-Flush Undamaged Undamaged Check unit is undamaged Check hoses / fittings seal correctly Dokek chem-E-Flush operation Boilts tight Adjust mounting bracket/ fan position Address 3 Fresh Water & Flush Tanks Io Controllers Check lait operation Check hoster(in stallation Check host poetation Check host poetation Postcode Phone 4 Check all tank fittings are sealed Undamaged Check fittings seal correctly Undamaged Mobile Email Suction line Undamaged Check fittings seal correctly Undamaged Mobile Email Suction line Check fittings seal correctly Check fittings seal correctly Undamaged Email Email Suction line Check cheres operation Check cheres operation Email Email By-pass line Check cheres Check cheres Email Email
Pump Manual All hoses sealed (no leakages) hoses do not kink or jam on folding WEED-IT Manual (if applicable) Filter clean & sealed id Quantum Mist Fan (if applicable) Safety Manual Tighten all hose clamps undamaged Oundamaged Check unit is undamaged Adjust mounting bracket/ fan position Basket strainer in place Check unit is undamaged Check chem-E-Flush operation Agitation working 10 Controllers Undamaged Check installation Check battery connection Check fittings Check controls operation Check fittings seal correctly Nadamaged Check fittings seal correctly Nozzles dijusted to suit application Check fittings Check installation Check hydraulic oil level in tractor Check fittings Check controls operation Check fittings seal correctly Modamaged Check fittings seal correctly Nozzles drain connections Hydraulic system corrosion painted Hydraulic system corrosion painted Worder & Flush Tanks Undamaged It chemical Probe (if ordered) Undamaged Undamaged Check chitings seal correctly Check chitings seal correctly Undamaged It chemica
WEED-IT Manual (if applicable) Filter clean & sealed Safety Manual Tighten all hose clamps 2 Spray Tank Undamaged Check Lil opens & seals shut correctly Check lid opens & seals shut correctly Check chores - Filush Agitation working Check chores - Filush operation 3 Fresh Water & Flush Tanks Undamaged Check installation Check fittings Check controls operation Check fittings are sealed Undamaged Suction line Check fittings seal correctly Drain outlet Check fittings seal correctly By-pass line Check chemes
Safety Manual Tighten all hose clamps Undamaged 2 Spray Tank 9 Chem-E-Flush Undamaged Check unit is undamaged Bolts tight Bolts tight Check lid opens & seals shut correctly Basket strainer in place Check choses/fittings seal correctly Nozzles fitted correctly Nozzles fitted correctly Agitation working 10 Controllers Check hotses/fittings seal correctly Nozzles fitted correctly Undamaged Check fittings Check totrel probe (if ordered) Nozzles fitted correctly Nozzles fitted correctly Undamaged Check thatter & Flush Tanks Check totrel probe (if ordered) Nozzles fitted correctly Nozzles fitted correctly Undamaged Check fittings care sealed Check controls operation Check hydraulic oil level in tractor Check fittings Check fittings seal correctly Confirm case drain connections Phone Mobile 11 Chemical Probe (if ordered) Undamaged Indamaged Suction line Check camlock tethers Confirm drive shaft fitted and secure Signature of Owner Bolts tight Confirm drive shaft fitted and secure Signature of Owner
2 Spray Tank 9 Chem-E-Flush Undamaged Check lid opens & seals shut correctly Check noises / fittings seal correctly Bolts tight Basket strainer in place Check chem-E-Flush operation Nozzles fitted correctly Nozzles fitted correctly Adjust mounting bracket/fan position 10 Controllers Postcode Postcode 3 Fresh Water & Flush Tanks Check installation Check battery connection Check charler correctly Nozzles diusted to suit application Undamaged Check all tank fittings are sealed Check charler correctly Nobile Phydraulic system corrosion painted 4 Check all tank fittings are sealed Undamaged To copair Fan (if applicable) Email 5 Undamaged Check camlock tethers Confirm drive shaft fitted and secure Signature of Owner
- Optor Content
Check lid opens & seals shut correctly Check hoses/fittings seal correctly Nozzles fitted correctly Basket strainer in place Check Chem-E-Flush operation Nozzles fitted correctly Agitation working 10 Controllers Undamaged Check battery connection Check fan operation Check all tank fittings are sealed Undamaged Check fittings seal correctly Suction line Undamaged Check fittings seal correctly Check fittings seal correctly Suction line Check fittings seal correctly Undamaged Undamaged Drain outlet Check camlock tethers Drain outlet Bolts tight By-pass line Check camlock tethers Confirm drive shaft fitted and secure Signature of Owner
Check holes & seals shur correctly Check hoses / fittings seal correctly Basket strainer in place Agitation working Agitation working 10 Controllers Check Chem-E-Flush operation Undamaged Check installation Check fittings Check controls operation Check all tank fittings are sealed Undamaged Suction line Undamaged Suction line Check fittings seal correctly Drain outlet Check probe operation By-pass line Check camlock tethers
Agitation working 10 Controllers Nozzles adjusted to suit application 3 Fresh Water & Flush Tanks Check installation Check hydraulic oil level in tractor Postcode Phone Undamaged Check fittings Check controls operation Check fan operation Phone Mobile 4 Check all tank fittings are sealed Undamaged Undamaged Mobile Email Suction line Undamaged Check fittings seal correctly Undamaged Undamaged Email By-pass line Check camlock tethers Check tethers Signature of Owner Signature of Owner
Agitation working 10 Controllers Check installation Check insta
Undamaged Check instantion Check instantion Check instantion Check instantion Check instantion Phone
Check fittings Check controls operation Check fittings Confirm case drain connections Mobile 4 Check all tank fittings are sealed Undamaged Hydraulic system corrosion painted Email Suction line Check fittings seal correctly Undamaged Undamaged Email By-pass line Check camlock tethers Confirm drive shaft fitted and secure Signature of Owner
Check operation 11 Chemical Probe (if ordered) Hydraulic system corrosion painted 4 Check all tank fittings are sealed Undamaged 17 Cropair Fan (if applicable) Email Suction line Check fittings seal correctly Undamaged Undamaged Email Drain outlet Check camlock tethers Bolts tight Confirm drive shaft fitted and secure Signature of Owner
4 Check all tank fittings are sealed Undamaged 17 Cropair Fan (if applicable) Email Suction line Check fittings seal correctly Undamaged Undamaged Drain outlet Check probe operation Bolts tight Source of fitted and secure By-pass line Check camlock tethers Confirm drive shaft fitted and secure Signature of Owner
4 Check differings dife sedied Undamaged 17 Cropair Fan (if applicable) Suction line Check fittings seal correctly Undamaged Drain outlet Check probe operation Bolts tight By-pass line Check camlock tethers Confirm drive shaft fitted and secure
Suction line Check fittings seal correctly Undamaged Drain outlet Check probe operation Bolts tight By-pass line Check camlock tethers Confirm drive shaft fitted and secure
Drain outlet Check probe operation Bolts tight By-pass line Check camlock tethers Confirm drive shaft fitted and secure
Commin drive shar miled and secore Signature of Owner
Mixing basket line Signature of Owner
Agitators Check installation Correct Nozzles fitted & adjusted to suit Date ///
5 Pump Check Installation Check battery connection Check fan operation
Check mountings Calibrate controller(s) 18 WEED-IT System (if applicable) DEALER
Check oil level Fully check controller operation Check Wi sensor height & spacing
Check air chamber pressure 13 Nozzles Check plumbing connections Dealership Name (print)
Check operation Undamaged Check electrical connections
6 PTO Drive Nozzle filters clean Check & calibrate controller operation
Check quick release pins operate easily Nozzles correct type throughout Check PAV air system operation Address
and lock into place Nozzle caps sealed (no leakages) Confirm operation of speed sensors
Check universal joints work correctly Non-drip diaphragms working 19 GPS Guidance
A l'unit of the standard sta
Grease talescopic sliding shaft
Grease universal joints Undamaged
(beck satety shields are in place
7 Suction Lines 21 Other
Contrim tree and smooth operation
IS Boom & fold (if applicable)
Undamaged Signature of Dealer Representative
Check height dejositient
Check boom mounting bolts tight (it
Tighten all hose clamps applicable) Machine Serial # Unfold the boom

WARRANTY REGISTRATION

Warranty Registration: The Owner acknowledges that the Owner has read & understood all terms & conditions of the Croplands' warranty policy contained in this manual. The warranty policy will commence upon installation. This Warranty Registration **must be completed & signed by both the Owner & the Dealer**</u>. & the white copy returned by the Dealer to Croplands.

Model					
Size					
Serial No					
Purchase Date	/	/			
Pre-Delivery Comp	oletion D	ate	/	/	

IMPORTANT

By executing this Warranty Registration:

1. The Owner:

- (a) Agrees that the Owner will read the Operator's Manual before using the Sprayer; will follow all procedures in the operator's manual for the use of the Sprayer, and will exercise due care in the use of the Sprayer;
- (b) Agrees that Croplands' liability for any loss or damage suffered by the Owner in connection with the Owner's use of the Sprayer is limited to the cost of repair or replacement of the Sprayer;
- (c) Agrees that the Owner will bear any loss the Owner suffers as a consequence of any failure by the Owner to comply with 1(a) above;
- (d) Acknowledges that the owner is trained and is fully responsible for the safe and correct operation of the Sprayer; and
- (e) Agrees that the Owner will fully train any person who might be required to operate the Sprayer as to how to operate the Sprayer in a safe and proper manner.
- **2. The Dealer** undertakes that the Dealership has met the obligations of Sprayer pre-delivery, installation, service and warranty start up.

(OWNER				DEALER		
(Owner's Name (print) Address Postcode Phone Mobile Email				Dealership Name (print)		
1					Address		
F /					Postcode Phone Mobile		
Signature of Owner Date / /					Signature of Dealer Representative Date / /		
1	I. Type of purch	aser (please tick) es (please number in ord UNuts Vegetabl	er of importar	/Farmer [es Council/Govt Lanes Other		
2	4. What are you	ze of your holding (hecto r reasons for purchasing roplands' machinery do	the Cropland		Ş		
	Serial No.	Implement Type	Size	Age	Comments		
ſ							

WARRANTY REGISTRATION

Warranty Registration: The Owner acknowledges that the Owner has read & understood all terms & conditions of the Croplands' warranty policy contained in this manual. The warranty policy will commence upon installation. This Warranty Registration **must be completed & signed by both the Owner & the Dealer**, & the white copy returned by the Dealer to Croplands.

Model					
Size					
Serial No					
Purchase Date	/	/			
Pre-Delivery Completion Date / /					

IMPORTANT

By executing this Warranty Registration:

1. The Owner:

- (a) Agrees that the Owner will read the Operator's Manual before using the Sprayer; will follow all procedures in the operator's manual for the use of the Sprayer, and will exercise due care in the use of the Sprayer;
- (b) Agrees that Croplands' liability for any loss or damage suffered by the Owner in connection with the Owner's use of the Sprayer is limited to the cost of repair or replacement of the Sprayer;
- (c) Agrees that the Owner will bear any loss the Owner suffers as a consequence of any failure by the Owner to comply with 1(a) above;
- (d) Acknowledges that the owner is trained and is fully responsible for the safe and correct operation of the Sprayer; and
- (e) Agrees that the Owner will fully train any person who might be required to operate the Sprayer as to how to operate the Sprayer in a safe and proper manner.
- **2. The Dealer** undertakes that the Dealership has met the obligations of Sprayer pre-delivery, installation, service and warranty start up.

OWNER			DEALER	
Owner's Name (print)			Dealership Name (print)	
Address			Address	
Postcode Postcode Phone			Mobile	
Signature of Owner Date / /			Signature of Dealer Representative / /	
Owner's Machinery Register: (This information will assist us in providing first class back-up and parts service) 1. Type of purchaser (please tick) Owner/Farmer Share Farmer Contractor 2. Major activities (please number in order of importance): Nuts Nurseries Vineyards Beef Vegetables Fruit Trees Council/Govt Cereal Grain Flowers Parks & Lanes Other 3. What is the size of your holding (hectares)? Sugar Cane 4. What are your reasons for purchasing the Croplands Sprayer? Sugar Cape				
Serial No. Implement Type	Size	Age	Comments	

WARRANTY REGISTRATION

Warranty Registration: The Owner acknowledges that the Owner has read & understood all terms & conditions of the Croplands' warranty policy contained in this manual. The warranty policy will commence upon installation. This Warranty Registration **must be completed & signed by both the Owner & the Dealer**</u>. & the white copy returned by the Dealer to Croplands.

Model					
Size					
Serial No					
Purchase Date	/	/			
Pre-Delivery Completion Date / /					

IMPORTANT

By executing this Warranty Registration:

1. The Owner:

- (a) Agrees that the Owner will read the Operator's Manual before using the Sprayer; will follow all procedures in the operator's manual for the use of the Sprayer, and will exercise due care in the use of the Sprayer;
- (b) Agrees that Croplands' liability for any loss or damage suffered by the Owner in connection with the Owner's use of the Sprayer is limited to the cost of repair or replacement of the Sprayer;
- (c) Agrees that the Owner will bear any loss the Owner suffers as a consequence of any failure by the Owner to comply with 1(a) above;
- (d) Acknowledges that the owner is trained and is fully responsible for the safe and correct operation of the Sprayer; and
- (e) Agrees that the Owner will fully train any person who might be required to operate the Sprayer as to how to operate the Sprayer in a safe and proper manner.
- **2. The Dealer** undertakes that the Dealership has met the obligations of Sprayer pre-delivery, installation, service and warranty start up.

OWNER				DEALER		
Owner's Name (print)				Dealership Name (print)		
Address				Address		
Postcode Phone Mobile				Postcode		
				Phone		
Email				Email		
Signature of O	wner			Signature of Dealer Representative		
Date/	/			Date / /		
 Type of purch Major activiti Sheep Beef Cereal G Cotton What is the si 	aser (please tick) es (please number in ord Nuts Vegetabl	Owner/ er of importar es	/Farmer [Ince): Nurseria Fruit Tree Parks & Sugar C	es Council/Govt Lanes Other Cane		
	roplands' machinery do					
Serial No.	Implement Type	Size	Age	Comments		

CROPLANDS

AUSTRALIA

Croplands Equipment Pty Ltd ACN 006 450 184

PO Box 2441 Dry Creek 50 Cavan Road Dry Creek SA 5094 Australia

Freecall: 1800 999 162 Freefax: 1800 623 778 Email: sales@croplands.com.au Website: www.croplands.com.au

NEW ZEALAND

Croplands Equipment Ltd PO Box 2004, Stortford Bridge, Hastings 4120

Location: 1422 Omahu Road, Hastings 4120 New Zealand

Freecall: 0800 106 898 Freefax: 0800 117 711 Email: sales@croplands.co.nz Website: www.croplands.co.nz CANADA

Croplands Equipment Pty Ltd PO Box 2441 Dry Creek, SA 5094 Australia

Phone +1403-831-3913 Email address: sales@ croplandsequipment.com www.croplands.com.au

Your nearest Croplands Dealer can be found in the dealer section on the Croplands website