

# SPRAYER SPECIFICATIONS WARRANTY & PRE-DELIVERY HORTICULTURE

WWW.CROPLANDS.COM.AU





### **GENERAL MANAGER'S WELCOME**



Sean Mulvaney General Manager

#### Dear Customer

Congratulations on the purchase of your new Croplands Sprayer.

Croplands have been in the business of building sprayer equipment since 1972. For over 49 years we have been supplying sprayers to farmers, contractors, growers and all our customers involved in growing crops and in the control of pests and diseases.

Croplands is a wholly owned subsidiary of Nufarm Ltd, the largest supplier of crop protection chemicals for Australasia, and one of the fastest growing global suppliers world-wide.

At Croplands, we pride ourselves on our commitment to supplying machinery that is at the forefront of the industry's needs. We believe we can back up our products and through constant research and development, bring to you the best equipment you can find.

We welcome any feedback from you about our equipment. On the back cover you will find our contact details, and locations where our staff can be reached during business hours. After hours, you can email us and expect a reply the following morning.

Please read the supplied manuals in their entirety before you operate your sprayer. This will ensure you have a trouble free start up.

We trust you will get years of good use from your Croplands Sprayer. Yours Sincerely

#### Sean Mulvaney General Manager

Croplands has taken steps to ensure this operator's manual is as current and as accurate as possible. Due to the ever-changing markets of cropping and farming, Croplands is constantly striving to be at the forefront of innovation and technology. While the information in this manual is considered accurate at the time of writing, Croplands reserves the right to change this information without notice. Croplands will not accept liability for any inaccuracy in this publication, or changes forthwith.

### CONTENTS

- Sprayer Specifications & Factory Fitted Options
- Online Parts Information
- Transport & Product ID
- Safety Information
- Warranty Policy
- Pre-Delivery Check List
- Warranty Registration

# **SPRAYER SPECIFICATIONS & FACTORY FITTED OPTIONS**

IMPORTANT! Please keep this unique Serial Number & Sprayer Specification Sheet for future reference.

### Dealer Copy

Remove this page and store it with the "yellow":

- Predelivery Check List page and
- Warranty Registration page.

# **ONLINE PARTS INFORMATION** WARRANTY & PRE-DELIVERY

Please see your Croplands Equipment dealer for provision of all Warranty Services

### **Croplands Customer Service**

### Australia

Freecall: **1800 999 162** Freefax: **1800 623 778** sales@croplands.com.au **www.croplands.com.au** 

### New Zealand

Freecall: **0800 106 898** Freefax: **0800 117 711** sales@croplands.co.nz **www.croplands.co.nz** 

**Note:** One Operators Manual is supplied with each sprayer and does not include detailed parts information. Parts information is provided online & must be sourced from the Croplands website.

# **SPRAYER SPECIFICATIONS & FACTORY FITTED OPTIONS**

IMPORTANT! Please keep this unique Serial Number & Sprayer Specification Sheet for future reference.

Owner Copy

DO NOT REMOVE this page.

# **ONLINE PARTS INFORMATION** WARRANTY & PRE-DELIVERY

Please see your Croplands Equipment dealer for provision of all Warranty Services

### **Croplands Customer Service**

### Australia

Freecall: **1800 999 162** Freefax: **1800 623 778** sales@croplands.com.au **www.croplands.com.au** 

### New Zealand

Freecall: **0800 106 898** Freefax: **0800 117 711** sales@croplands.co.nz **www.croplands.co.nz** 

**Note:** One Operators Manual is supplied with each sprayer and does not include detailed parts information. Parts information is provided online & must be sourced from the Croplands website.

# **TRANSPORT & PRODUCT ID**

### TRANSPORT

See Operator Manual for sprayer size, weights and towing speeds.

Where applicable, all controllers, manuals, wiring looms, etc, are supplied in a separate, sturdy, weather resistant transport box.



A transport box

### **PRODUCT IDENTIFICATION**

Always use the serial number of the Sprayer when requesting service information or when ordering parts.

Early or later models (identification made by serial number) may use different parts, or it may be necessary to use a different procedure for specific service operations.



Sprayer Serial Number

#### **Sprayer Serial Number Plate**

The Sprayer Serial Number Plate is located on the chassis above the hitch adjustment **(A)**.

This plate shows name of manufacturer, serial number, product code and date of manufacture.

### **AR PUMP SERIAL NUMBER**



AR Pump Serial Number

The AR Pump Serial Number Plate is located on the pump **(B)**.

This plate shows name of manufacturer, serial number, type of pump, year of manufacture, maximum flow rate and maximum working pressure of the pump.

### **CONTROLLER SERIAL NUMBER(S)**

Controller serial numbers are generally located at the:

 Rear (eg, Bravo 180 [X], HV4000 & MT3405 [not shown]),

or

• Side (eg, WEEDit Controller [not shown].



Bravo 180/S Controller

# SECTION 2 SAFETY

### **SAFETY FIRST**

Please read and understand all supplied manuals, guides and safety decals before operating this sprayer. This includes the **Croplands Operators Safety Manual** – as pictured here.

This manual is available on the Croplands Web site, or for printed versions contact Croplands customer support and ask for part number GP-SAFE-A (or later version if available).





# WARRANTY POLICY

### WARRANTY POLICY

Croplands Equipment Pty Ltd (trading as Croplands) warrants to its authorised Dealer, who in turn, warrants to the original purchaser (Owner) that each new Croplands' sprayer, part or accessory will be free from proven defects in material and workmanship for twelve (12) months from the date of delivery to the first Owner according to the conditions outlined. This warranty does not cover damages resulting from abuse, accidents, alterations, normal wear or failure to maintain or use the Croplands product with due care.

During the warranty period, the authorised Croplands Dealer shall repair or replace, at Croplands option, without charge for parts and labour any part of the Croplands product, which fails because of defects in material or workmanship. The Owner must provide the authorised Dealer with prompt written notice of the defect (within 14 days of its occurrence), and allow reasonable time for replacement or repair. Repair may, at Croplands option, include the replacement of parts with functionally equivalent reconditioned or new parts. Replacement parts will be warranted for the balance of the original warranty period or for ninety (90) days, which ever is longer. Croplands (at its option) may request failed parts to be returned to the factory. Any travel time of a service technician and/or transportation of the Croplands product to the authorised servicing Dealer for warranty work are the responsibility of the Owner.

EXCLUSIVE EFFECT OF WARRANTY AND LIMITATION OF LIABILITY THIS WARRANTY IS IN LIEU OF ALL WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PURPOSE OR OTHER REPRESENTATIONS, WARRANTIES OR CONDITIONS, EXPRESSED OR IMPLIED. The remedies of the Owner set forth herein are exclusive. CROPLANDS neither assumes nor authorises any person to assume for it any other obligation or liability in connection with the sale of covered machines. Correction of defects, in the manner and for applicable period of time provided above, shall constitute fulfillment of all responsibilities of CROPLANDS to the Owner, and CROPLANDS shall not be liable for negligence under contract or in any manner with respect to such machines. IN NO EVENT SHALL THE OWNER BE ENTITLED TO RECOVER FOR INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES SUCH AS BUT NOT LIMITED TO, LOSS OF CROPS, LOSS OF PROFITS OR REVENUE, OTHER COMMERCIAL LOSSES, INCONVENIENCE OR COST OF RENTAL OR REPLACEMENT EQUIPMENT.

#### **CONDITIONS OF WARRANTY**

- 1. The warranty is not transferable.
- 2. The Warranty Registration Form must be returned to Croplands by the Owner Operator within 14 days of taking delivery of the unit. Only when warranty registration is completed and returned, can Croplands fulfill all warranty obligations.
- 3. Schedule of components and conditions not covered by warranty are:

Abuse	Failure resulting from neglect, such as improper operation, lack of required maintenance or continued use of a sprayer after the discovery of a defect which results in greater damage to the unit.
Environmental Conditions and	Deteriorated or failed components such as: diaphragms, O-rings, hoses, seals, electrical wiring and connections damaged by corrosive chemicals, dirt and sand, excessive heat or moisture. Owners should en sure the type and strength of chemicals used in the sprayer are compatible with the design of the unit.
Application	Warranty determination for these types of failures will be made by Croplands only after inspection of failed components. In most instances these will incur inspection charges and cost of replacement parts.
Normal Wear	Normal wear and consumable items such as: oils and lubricants, diaphragms, filter elements, flowmeters, clutches, bearings, fan belts, drive belts, pivot pins, paint, light bulbs and nozzles are considered to be normal wear items and are not warranted.
Maintenance	Component failure caused by not performing scheduled maintenance service such as: oils, grease, failure to clean tanks, pumps, filters, spray lines, nozzles or any other blocked components. Not tightening or replacing loose or missing bolts, nuts, fittings, shields and covers.
Damage	Damages or machine failure caused by carelessness or accidental damage, improper operation, excessive speed during travel and operation, inappropriate transportation or storage of the sprayer or attachment.
Power Source	Failures due to faulty or inadequate electrical sources of power. Owners who use their own 12 volt power source must make sure that it is suitable for operating the spraying equipment.
Alterations	Any unauthorised alteration, modification, attachments or unauthorised repairs to the Croplands sprayer or attachments. Written approval must be obtained from Croplands for any such items to maintain warranty.
Removal & Installation	The time taken to remove and re-install a warranted part or component into other brands of sprayers will not be covered by Croplands warranty. Only parts and labour directly attributable to the repair of the Croplands unit is covered.
Clean-up Time	Croplands do not pay for cleaning the sprayer, parts, accessories or work area before or after the warranty repair. Clean-up time is affected primarily by the application or conditions in which the sprayer is operated and maintained. Since clean-up time can be so variable, cleaning time should be considered a customer expense.
Transportation	Warranty does not cover transportation or insurance costs for sprayers or other equipment needing repair or re placement of warranted components. Nor does it cover any freight or insurance costs in obtaining new parts or returning old parts to Croplands for inspection purposes.
Costs	Warranty does not cover time required to diagnose a warranty problem. Diagnostic time is affected greatly by the training and expertise of the technician employed to do the job. With proper training of service personnel, diagnostic time should be at a minimum.
Diagnostic Time	Croplands expects that Dealers will assign a well trained and proficient technician to handle any warranty repairs. Since Croplands is not in control of either of these responsibilities, we elect not to cover diagnostic time.
Non-Genuine Parts	Use of parts other than Croplands parts for repair of warranted parts will automatically negate any warranty. Warranted components must be replaced with genuine Croplands repair parts.
Unauthorised Repairs	Repairs by an unauthorised agent will automatically forfeit any warranty. An authorised Croplands Dealer must carry out warranty repairs.

### **PRE-DELIVERY CHECKLIST**

The Pre-Delivery Check List must be completed by the Dealer & signed by both the Dealer and the Owner, and the white copy returned by the Dealer to Croplands.

Tick each box to affirm completion	Tick each box to affirm completion	Tick each box to affirm completion	OWNER
Operator's Manuals Supplied	6 Power Drive	13 Auto Spray-Rate Controller	
Sprayer Operators Manual	(b) Hydraulic Pump Pack (if fitted)	Check installation	Farmer
Spray Controller Manual	Check reservoir oil level	Check battery connection	Contractor
Safety Manual	Check oil pump gearbox oil level	Calibrate controller	Owner's Name (print)
Trailer	Check system operates correctly	Fully check controller operation	Owner's Name (prim)
Undamaged	7 Pump	14 Fresh Water & Flushing Tanks	
Hitch height adjusted	Check mountings	Undamaged	Address
Hitch Jack lubricated	Check oil level	Check fittings	
Check paint	Check air chamber pressure - 70-100kPa	Check operation	
Self-tracking drawbar (if fitted)	(10-15 psi)	15 Main Control & Drain Valves	
Wheels & Hubs	Check operation	Check there are no leaks	Postcode
Greased	8 Suction Lines	Check all valves open & close easily	Phone
Bearings adjusted	Undamaged	16 Fan Motors	Mobile
Split pin and dust caps in place	Hoses - no kinks or restrictions	Check oil level in tractor/power pack	
Wheel nuts tight & threads greased	All joins sealed (no air leaks)	Check hydraulic hose connections	Email
Check tyre pressure	Filter clean & sealed		
Tank	Tighten all hose clamps		
Undamaged	9 Pressure Lines	Check mountings	Signature of Owner
Agitator adjusted correctly	Undamaged	Check blades undamaged	Date/ /
Check main lid opens and seals	Hoses - no kinks or restrictions	Check fan operation	
shut correctly	All hoses sealed (no leakages)	18 Fan Housings	DEALER
Chemical mixing basket in place	Filter clean & sealed	Bolts tight	DEALER
Check All Tank Fittings Are Sealed	Tighten all hose clamps	Fan guards fitted securely	Dealership Name (print)
Suction line	10 Nozzles	Nozzle fitted correctly	
Drain outlet	Undamaged	<b>19 Boom Functions</b> (if fitted)	
By-pass line	Nozzle filters clean	Undamaged	Address
Mixing basket line	Nozzles correct type throughout	Bolts tight	
Agitators	Nozzle caps sealed (no leakages)	Check all hydraulic lines and connections	
Power Drive	Non-drip diaphragms working	Check electrical connections for controls	Postcode
(a) PTO	11 Agitation	Check and adjust all operations	
Check quick release pins operate easily	Check agitator works correctly	20 Decals	Email
and lock into place	Check hoses are properly sealed	Check all decals are in place	
Check universal joints work correctly	Tighten all hose clamps	21 Other	
Adjust PTO length to suit tractor	12 Controllers		Signature of Dealer Representative
Grease telescopic sliding shaft	Check installation		Date / /
Grease universal joints	Check battery connection		
Check safety shields are in place	Fully check controls operation		Machine Serial #

# **PRE-DELIVERY CHECKLIST**

The Pre-Delivery Check List must be completed by the Dealer & signed by both the Dealer and the Owner, and the white copy returned by the Dealer to Croplands.

✓ Tick each box to affirm completion	Tick each box to affirm completion	Tick each box to affirm completion	OWNER
1 Operator's Manuals Supplied	6 Power Drive	13 Auto Spray-Rate Controller	
Sprayer Operators Manual	(b) Hydraulic Pump Pack (if fitted)	Check installation	Farmer
Spray Controller Manual	Check reservoir oil level	Check battery connection	Contractor
Safety Manual	Check oil pump gearbox oil level	Calibrate controller	
2 Trailer	Check system operates correctly	Fully check controller operation	Owner's Name (print)
Undamaged	7 Pump	14 Fresh Water & Flushing Tanks	
Hitch height adjusted	Check mountings	Undamaged	Address
Hitch Jack lubricated	Check oil level	Check fittings	
Check paint	Check air chamber pressure - 70-100kPa	Check operation	
Self-tracking drawbar (if fitted)	(10-15 psi)	15 Main Control & Drain Valves	
3 Wheels & Hubs	Check operation	Check there are no leaks	Postcode
Greased	8 Suction Lines	Check all valves open & close easily	Phone
Bearings adjusted	Undamaged	16 Fan Motors	Mobile
Split pin and dust caps in place	Hoses - no kinks or restrictions	Check oil level in tractor/power pack	
Wheel nuts tight & threads greased	All joins sealed (no air leaks)	Check hydraulic hose connections	Email
Check tyre pressure	Filter clean & sealed	17 Fan Heads	
4 Tank	Tighten all hose clamps	Check mountings	
Undamaged	9 Pressure Lines	Check blades undamaged	Signature of Owner
Agitator adjusted correctly	Undamaged	Check fan operation	Date/ /
Check main lid opens and seals	Hoses - no kinks or restrictions All hoses sealed (no leakages)	18 Fan Housings	
shut correctly	Filter clean & sealed	Bolts tight	DEALER
Chemical mixing basket in place	Tighten all hose clamps	Fan guards fitted securely	
5 Check All Tank Fittings Are Sealed	10 Nozzles	Nozzle fitted correctly	Dealership Name (print)
Suction line Drain outlet	Undamaged	19 Boom Functions (if fitted)	
By-pass line	Nozzle filters clean	Undamaged	Address
Mixing basket line	Nozzles correct type throughout	Bolts tight	
Agitators	Nozzle caps sealed (no leakages)	Check all hydraulic lines and connections	
6 Power Drive	Non-drip diaphragms working	Check electrical connections for controls	
(a) PTO	11 Agitation	Check and adjust all operations	Postcode
	Check agitator works correctly	20 Decals	Email
Check quick release pins operate easily and lock into place	Check hoses are properly sealed	Check all decals are in place	
Check universal joints work correctly	Tighten all hose clamps	21 Other	
Adjust PTO length to suit tractor	12 Controllers		Signature of Dealer Representative
Grease telescopic sliding shaft	Check installation		•
Grease universal joints	Check battery connection		Date / /
Check safety shields are in place	Fully check controls operation		Machine Serial #

# **PRE-DELIVERY CHECKLIST**

The Pre-Delivery Check List must be completed by the Dealer & signed by both the Dealer and the Owner, and the white copy returned by the Dealer to Croplands.

✓ Tick each box to affirm completion	Tick each box to affirm completion	Tick each box to affirm completion	OWNER
1 Operator's Manuals Supplied	6 Power Drive	13 Auto Spray-Rate Controller	<u> </u>
Sprayer Operators Manual	(b) Hydraulic Pump Pack (if fitted)	Check installation	Farmer
Spray Controller Manual	Check reservoir oil level	Check battery connection	Contractor
Safety Manual	Check oil pump gearbox oil level	Calibrate controller	
2 Trailer	Check system operates correctly	Fully check controller operation	Owner's Name (print)
Undamaged	7 Pump	14 Fresh Water & Flushing Tanks	
Hitch height adjusted	Check mountings	Undamaged	Address
Hitch Jack lubricated	Check oil level	Check fittings	
Check paint	Check air chamber pressure - 70-100kPa	Check operation	
Self-tracking drawbar (if fitted)	(10-15 psi)	15 Main Control & Drain Valves	
3 Wheels & Hubs	Check operation	Check there are no leaks	Postcode
Greased	8 Suction Lines	Check all valves open & close easily	Phone
Bearings adjusted	Undamaged	16 Fan Motors	Mobile
Split pin and dust caps in place	Hoses - no kinks or restrictions	Check oil level in tractor/power pack	
Wheel nuts tight & threads greased	All joins sealed (no air leaks)	Check hydraulic hose connections	Email
Check tyre pressure	Filter clean & sealed	17 Fan Heads	
4 Tank	Tighten all hose clamps	Check mountings	
Undamaged	9 Pressure Lines	Check blades undamaged	Signature of Owner
Agitator adjusted correctly	Undamaged	Check fan operation	Date/ /
Check main lid opens and seals	Hoses - no kinks or restrictions		2410
shut correctly	All hoses sealed (no leakages)	18 Fan Housings	DEALER
Chemical mixing basket in place	Filter clean & sealed	Bolts tight	
5 Check All Tank Fittings Are Sealed	Tighten all hose clamps	Fan guards fitted securely	Dealership Name (print)
Suction line	10 Nozzles	Nozzle fitted correctly	
Drain outlet	Undamaged	19 Boom Functions (if fitted)	Address
By-pass line	Nozzle filters clean	Undamaged	Address
Mixing basket line	Nozzles correct type throughout	Bolts tight	
Agitators	Nozzle caps sealed (no leakages)	Check all hydraulic lines and connections	
6 Power Drive	Non-drip diaphragms working	Check electrical connections for controls	Postcode
(a) PTO	11 Agitation	Check and adjust all operations	Email
Check quick release pins operate easily	Check agitator works correctly	20 Decals	
and lock into place	Check hoses are properly sealed	Check all decals are in place	
Check universal joints work correctly	Tighten all hose clamps	21 Other	
Adjust PTO length to suit tractor	12 Controllers		Signature of Dealer Representative
Grease telescopic sliding shaft	Check installation		Date / /
Grease universal joints	Check battery connection		Machine Serial #
Check safety shields are in place	Fully check controls operation		

# WARRANTY REGISTRATION

Warranty Registration: The Owner acknowledges that the Owner has read & understood all terms & conditions of the Croplands' warranty policy contained in this manual. The warranty policy will commence upon installation. This Warranty Registration **must be completed & signed by both the Owner & the Dealer**</u>. & the white copy returned by the Dealer to Croplands.

Model						
Size						
Serial No						
Purchase Date	/	/				
Pre-Delivery Comp	oletion D	ate	/	/		

#### IMPORTANT

By executing this Warranty Registration:

#### 1. The Owner:

- (a) Agrees that the Owner will read the Operator's Manual before using the Sprayer; will follow all procedures in the operator's manual for the use of the Sprayer, and will exercise due care in the use of the Sprayer;
- (b) Agrees that Croplands' liability for any loss or damage suffered by the Owner in connection with the Owner's use of the Sprayer is limited to the cost of repair or replacement of the Sprayer;
- (c) Agrees that the Owner will bear any loss the Owner suffers as a consequence of any failure by the Owner to comply with 1(a) above;
- (d) Acknowledges that the owner is trained and is fully responsible for the safe and correct operation of the Sprayer; and
- (e) Agrees that the Owner will fully train any person who might be required to operate the Sprayer as to how to operate the Sprayer in a safe and proper manner.
- **2. The Dealer** undertakes that the Dealership has met the obligations of Sprayer pre-delivery, installation, service and warranty start up.

OWNER Owner's Name (print) Address				DEALER Dealership Name (print)		
				Mobile		
Signature of Owner Date / /				Signature of Dealer Representative          Date       /       /		
<ol> <li>Type of purch</li> <li>Major activitie</li> <li>Sheep</li> <li>Beef</li> <li>Cereal G</li> <li>Cotton</li> </ol>	aser (please tick) es (please number in ord Nuts Vegetabl rain Flowers Dairy	Owner/ er of importar	Farmer [	es Council/Govt Lanes Other		
4. What are you	ze of your holding (hecto r reasons for purchasing roplands' machinery do	the Cropland		Ş		
Serial No.	Implement Type	Size	Age	Comments		

# **WARRANTY REGISTRATION**

Warranty Registration: The Owner acknowledges that the Owner has read & understood all terms & conditions of the Croplands' warranty policy contained in this manual. The warranty policy will commence upon installation. This Warranty Registration **must be completed & signed by both the Owner & the Dealer**, & the white copy returned by the Dealer to Croplands.

Model					
Size					
Serial No					
Purchase Date	/	/			
Pre-Delivery Completion Date / /					

#### IMPORTANT

By executing this Warranty Registration:

#### 1. The Owner:

- (a) Agrees that the Owner will read the Operator's Manual before using the Sprayer; will follow all procedures in the operator's manual for the use of the Sprayer, and will exercise due care in the use of the Sprayer;
- (b) Agrees that Croplands' liability for any loss or damage suffered by the Owner in connection with the Owner's use of the Sprayer is limited to the cost of repair or replacement of the Sprayer;
- (c) Agrees that the Owner will bear any loss the Owner suffers as a consequence of any failure by the Owner to comply with 1(a) above;
- (d) Acknowledges that the owner is trained and is fully responsible for the safe and correct operation of the Sprayer; and
- (e) Agrees that the Owner will fully train any person who might be required to operate the Sprayer as to how to operate the Sprayer in a safe and proper manner.
- **2. The Dealer** undertakes that the Dealership has met the obligations of Sprayer pre-delivery, installation, service and warranty start up.

OWNER			DEALER
Owner's Name (print)			Dealership Name (print)
Address			Address
Postcode Postcode Phone			Mobile
Signature of Owner Date / /			Signature of Dealer Representative / /
Owner's Machinery Register: (This inform         1. Type of purchaser (please tick)         2. Major activities (please number in or         Sheep       Nuts         Beef       Vegetab         Cereal Grain       Flowers         Cotton       Dairy         3. What is the size of your holding (heat         4. What are your reasons for purchasing         5. What other Croplands' machinery do	der of importan des des des des des des des des des des	Farmer [ ce): Nurseria Fruit Tree Parks & Sugar C	es Council/Govt Lanes Other Cane
Serial No. Implement Type	Size	Age	Comments

# **WARRANTY REGISTRATION**

Warranty Registration: The Owner acknowledges that the Owner has read & understood all terms & conditions of the Croplands' warranty policy contained in this manual. The warranty policy will commence upon installation. This Warranty Registration **must be completed & signed by both the Owner & the Dealer**</u>. & the white copy returned by the Dealer to Croplands.

Model					
Size					
Serial No					
Purchase Date	/	/			
Pre-Delivery Completion Date / /					

#### IMPORTANT

By executing this Warranty Registration:

#### 1. The Owner:

- (a) Agrees that the Owner will read the Operator's Manual before using the Sprayer; will follow all procedures in the operator's manual for the use of the Sprayer, and will exercise due care in the use of the Sprayer;
- (b) Agrees that Croplands' liability for any loss or damage suffered by the Owner in connection with the Owner's use of the Sprayer is limited to the cost of repair or replacement of the Sprayer;
- (c) Agrees that the Owner will bear any loss the Owner suffers as a consequence of any failure by the Owner to comply with 1(a) above;
- (d) Acknowledges that the owner is trained and is fully responsible for the safe and correct operation of the Sprayer; and
- (e) Agrees that the Owner will fully train any person who might be required to operate the Sprayer as to how to operate the Sprayer in a safe and proper manner.
- **2. The Dealer** undertakes that the Dealership has met the obligations of Sprayer pre-delivery, installation, service and warranty start up.

OWNER				DEALER		
Owner's Name (print) Address Postcode Phone Mobile				Dealership Name (print)		
				Address		
				Postcode		
				Phone		
Email				Email		
Signature of Owner				Signature of Dealer Representative		
Date/	/			Date / /		
<ol> <li>Type of purch</li> <li>Major activiti</li> <li>Sheep</li> <li>Beef</li> <li>Cereal G</li> <li>Cotton</li> <li>What is the si</li> </ol>	aser (please tick) es (please number in ord Nuts Vegetabl	Owner/ er of importar es	/Farmer [ Ince): Nurseria Fruit Tree Parks & Sugar C	es Council/Govt Lanes Other Cane		
	roplands' machinery do					
Serial No.	Implement Type	Size	Age	Comments		

# **CROPLANDS**

#### **AUSTRALIA**

Croplands Equipment Pty Ltd ACN 006 450 184

PO Box 2441 Dry Creek 50 Cavan Road Dry Creek SA 5094 Australia

Freecall: 1800 999 162 Freefax: 1800 623 778 Email: sales@croplands.com.au Website: www.croplands.com.au

#### **NEW ZEALAND**

Croplands Equipment Ltd PO Box 2004, Stortford Bridge, Hastings 4120

Location: 1422 Omahu Road, Hastings 4120 New Zealand

Freecall: 0800 106 898 Freefax: 0800 117 711 Email: sales@croplands.co.nz Website: www.croplands.co.nz

Your nearest Croplands Dealer can be found in the dealer section on the Croplands website