




DURA PRODUCTS

MINI CATALOG

Market Leader
in agricultural transfer systems





The Fastest, Simplest, Safest Way to Mix and Spray

- Designed for speed, simplicity, and safety, it reduces mixing and filling times by up to 75% with simultaneous multi-injection, letting you spray more in less time.
- User-friendly design incorporates reliable, familiar components, ensuring seamless operation and effortless maintenance.
- With unmatched precision, it protects your crops, team, and the environment.

PART NUMBER TAXONOMY INFORMATION


DPFB-MULT3V4-12	DIGIT OPTION	DESCRIPTION
DPFB-MULTX	2	2" Plumbing
	3	3" Plumbing
DPFB-MULT3X	V	Viton®
	E	EPDM
DPFB-MULT3VX	4	4 input version
DPFB-MULT3V4-XX	12	12 volt DC
	110	110 volt AC
DPFB-MULT3V4-12-XX	Add TP at end	Transfer Input with Honda® Engine and Silicon Carbide seal
	Add WSTP at end	John Blue® Transfer Input with Honda® Engine and Wet Seal

ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPFB-MULT2V4-12	2" 12VDC 4 Input FastBatch Multijet System Viton®	\$52,337.00
DPFB-MULT3V4-12	3" 12VDC 4 Input FastBatch Multijet System Viton®	\$61,512.00
DPFB-MULT2V2-12ADD	2" 12VDC 2 Input FastBatch Multijet Add-On	\$17,692.00
DPFB-MULT2V4-12ADD	2" 12VDC 4 Input FastBatch Multijet Add-On	\$28,128.00
DPFB-MULT3V2-12ADD	3" 12VDC 2 Input FastBatch Multijet Add-On	\$18,900.00
DPFB-MULT3V4-12ADD	3" 12VDC 4 Input FastBatch Multijet Add-On	\$30,197.00



More info available at
<https://duraproducts.com/fastbatch-venturi>



Speed, Simplicity and Safety in a Compact Design

- Engineered for speed, it reduces refill times by up to 50%, maximizing productivity and minimizing downtime.
- Its compact design seamlessly fits into any operation, while familiar components ensure ease of use and reliable performance.

Built for accuracy and safety, it protects your crops, team, and equipment, delivering consistent results every time.

PART NUMBER TAXONOMY INFORMATION

DPFB-VENT3V4-12	DIGIT OPTION	DESCRIPTION
DPFB-VENTX	2	2" Plumbing
	3	3" Plumbing
DPFB-VENT3X	V	Viton®
	E	EPDM
DPFB-VENT3VX	2	2 input version
	4	4 input version
DPFB-VENT3V4-XX	12	12 volt DC
	110	110 volt AC
DPFB-VENT3V4-12-XX	Add TP at end	Transfer Input with Honda® Engine and Silicon Carbide seal
	Add WSTP at end	John Blue® Transfer Input with Honda® Engine and Wet Seal

ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPFB-VENT2V4-12	2" 12VDC 4 Input FastBatch Venturi System Viton®	\$40,374.00
DPFB-VENT3V4-12	3" 12VDC 4 Input FastBatch Venturi System Viton®	\$47,472.00



More info available at
<https://duraproducts.com/fastbatch-venturi>

FASTBATCH™ DIRECT INJECTION

Fast. Simple. Safe.

CROPLANDS

The **FastBatch™** Direct Injection works by direct injecting herbicides into the carrier flow while filling the sprayer.



Increase
PROFITABILITY
with a
Dura Auto-Batch™
Direct Injection

How It Works

1. Turn meter screen on by pressing any button, the "Power" light will be on if connected to power.
2. Press Auto
3. Set Amount
4. Press Start (this puts meter into Auto-Batch mode, "Run" light will come on)
5. The pump will begin to dispense fluid & automatically shuts off when complete

- Lowest cost automated sprayer filling system
- Filling your sprayer has never been easier or faster
- Reduces operator error and herbicide exposure
- Provides recirculation, maximizing chemical performance
- Accurately dispenses repeatable batches
- Eliminates cross contamination



ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPAB-DI2E-12	2" FastBatch DI System 12V EPDM 4 pump	\$27,280.00
DPAB-DI2V-12	2" FastBatch DI System 12V Viton® 4 pump	\$28,544.00
DPAB-DI3E-12	3" FastBatch DI System 12V EPDM 4 pump	\$28,540.00
DPAB-DI3V-12	3" FastBatch DI System 12V Viton® 4 pump	\$29,805.00

*1-3 pumps can still be ordered. Use selection charts found at duraproducts.com

The Dura **FastBatch™** Direct Injection gives you a high return on your investment.



CALCULATE YOUR OWN ADDITIONAL SPRAYING CAPACITY WITH THE DURA FASTBATCH™ DIRECT INJECTION			
ADDITIONAL SPRAYING CAPACITY PER DAY		WOODWARD FARMS SAVINGS	YOUR SAVINGS
System Sprayer Fill Time (mins)		20 min	
Dura FastBatch™ Direct Injection Sprayer Fill Time (mins)	-	6.25 min	6.25
Mins Saved per Fill	=	13.75 min	
Fills per Day	x	5	
Mins Saved per Day	=	68.75 mins	
Acres Sprayed per Hour		100.00 ac	
Additional Capacity per Day*		115.00 ac	
Chemical Application Rate / Acre**	x	8.01	
Spraying Days	x	9.00	
Savings After 9 Spraying Days	=	\$ 8,290.35	\$

*minutes saved per day / 60 x acres sprayed per hour
**2023 Indiana Farm Custom Rates (Purdue University)



Video available at
duraproducts.com/videos

DURA 1" ELECTRIC VALVE

Dura electric valves undergo rigorous field testing to ensure they are not only waterproof and durable but also maintenance-free and long-lasting. Every component, from the actuator housings to the electrical and valve parts, is meticulously designed and manufactured at Dura with your needs in mind.



Multi-Position
Mounting



Valve available
with manual handle



CROPLANDS

ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPEV-100	1" Dura Electric Valve, 12 VDC, 0.8 Sec, ON/OFF T5 style fork fittings, Viton® O-ring	\$918.00
DPEV-1A	Actuator Only, 1" Series 12 VDC, 0.8 Sec ON/OFF, 4 pin DT	\$607.00
DPMV-100	1" 2-way, 1" Flange x 1" Flange Valve with Manual Handle, SS Ball & Stem	\$271.00
DPMV-1H	1" Manual Valve Handle	\$43.00
DPEV-100-2M	Dura 12 Volt Manifold Valve Assembly, 2 Valves, Flanged, 1" Valves, 2" Tees	\$1,899.00
DPEV-100-3M	Dura 12 Volt Manifold Valve Assembly, 3 Valves, Flanged, 1" Valves, 2" Tees	\$3,548.00
DPEV-1005M	Dura 12 Volt Manifold Valve Assembly, 5 Valves, Flanged, 1" Valves, 2" Tees	\$5,196.00

1" DURA EV OEM REPLACEMENT ACTUATOR

Direct Replacement: For OEM EV acutator or complete valve with significant cost savings. Effortlessly replace failed electric valve actuator by dropping in the replacement and plugging it in. Adapter bracket fits directly to the valve and connector matches up.



ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPEV-1AAGCO	Actuator Dura EV1 W/KZ Mount & AGCO Compatible Harness DT4 Plug to DT6 Receptacle	\$809.00
DPEV-1AJD-A	Actuator Dura EV1 W/KZ Mount & JD Compatible Harness DT4 Plug to Ampseal 16 Plug	\$687.00
DPEV-1AJD-M	Actuator Dura EV1 W/KZ Mount & JD Compatible Harness DT4 Plug to Metripack 150 Tower	\$748.00
DPEV-1AHAGIE	Actuator Dura EV1 W/KZ Mount & Hagie Compatible Harness DT4 Plug to DT4 Receptacle	\$748.00
DPEV-100HAGIE	Actuated Valve Dura EV1 W/Hagie Compatible Harness DT4 Plug to DT4 Receptacle	\$958.00

AGCO® is a registered trademark of AGCO Corporation. John Deere® and Hagie® are registered trademarks of Deere & Company. KZ Valve® is a registered trademark of IDEX Corporation. Dura Products is not affiliated with or endorsed by these companies.



More info available at
<https://duraproducts.com/1-dura-electric-valve/>

DURA AUTO-BATCH™ EASY CADDY

Fast. Simple. Safe.

CROPLANDS

“The system reduces human error and
creates valuable efficiency for us.”

-Peterson Farms, KY

How It Works

1. Turn meter screen on by pressing any button, the “Power” light will be on if connected to power.
2. Press Auto
3. Set Amount
4. Press Start (this puts meter into Auto-Batch mode, “Run” light will come on)
5. The pump will begin to dispense fluid & automatically shuts off when complete

- Intuitive interface allows for the selection of manual or automatic operation with the press of a button
- High-flow pump with up to 18GPM/68LPM flow rate
- Optimized for repeatable batching; returns to the last volume amount dispensed
- 100% moisture-sealed circuitry
- Includes Dura Auto-Batch™ Meter with impact resistant Lexan™ faceplate
- Available in 12 Volt or 110 Volt, and Viton®, EPDM, or Silicone options
- Measures in gallons, liters and ounces
- Includes a 2-year Warranty & Maintenance Program



“I’ve got six plumbed to
an inductor. It works great,
and saves me time when
mixing batches.”

-Don, Nutrien Ag Solutions



ORDERING INFORMATION

12 VOLT

EX GST

DPABS-6318V-12	Dura-Pump Easy Caddy W/ Auto-Batch System - 12 Volt (Viton®)	\$5,026.00
DPABS-6318E-12	Dura Pump Easy Caddy W/ Auto-Batch System- 12 Volt (EPDM)	\$4,707.00
DPABS-6318S-12	Dura Pump Easy Caddy W/ Auto-Batch System- 12 Volt (Silicone)	\$5,026.00

110 VOLT

EX GST

DPABS-6318V-110	Dura-Pump Easy Caddy W/ Auto-Batch System- 110 Volt (Viton®)	\$5,253.00
DPABS-6318E-110	Dura-Pump Easy Caddy W/ Auto-Batch System- 110 Volt (EPDM)	\$4,986.00
DPABS-6318S-110	Dura-Pump Easy Caddy W/ Auto-Batch System- 110 Volt (Silicone)	\$5,253.00

Always turn pump off and disconnect system from power when not in use.

DURA AUTO-BATCH™ CONTROL VALVE

Fast. Simple. Safe.

CROPLANDS



How It Works

1. Turn meter screen on by pressing any button, the "Power" light will be on if connected to power
2. Press Auto
3. Set Amount
4. Press Start (this puts meter into Auto-Batch mode, "Run" light will come on)
5. The meter will begin to dispense fluid & automatically shuts off when complete

SIMPLE	SMART	ECONOMICAL
Join factory installed electric connectors	Eliminates operator error and herbicide exposure	Consists of a Dura Auto-Batch™ Control Valve meter, Dura Electric Valve and plumbing kit.
Plumb valve to Auto-Batch	Real-time valve LED performance feedback	No sophisticated wiring, PLC or plumbing
Press Auto & set volume desired	Inventory management	Multiple units can be used in manifold application
Press START	Manifold flange connections offer plumbing options	Ideally suited with venturi driven chemical handling system
Dura Electric Valve will open, fluid is measured and valve automatically closes upon completion	Ability to save up to five calibrations and measure in gallons, liters and ounces	



DURA AUTO-BATCH™ CONTROL VALVE TECHNICAL SPECIFICATIONS

Operating Temp	-10° F to 130° F, -23° C to 54° C	Batch Count	Yes
Flow Rate	2 to 22GPM, 7.5 to 83LPM	Total Count	Yes
Meter Accuracy	+/- .5%	Units Measured	Gallons, Liters and Ounces
Backlit LCD Display	Yes; with back-light timeout	Chemically Resistant	Yes
Max Pressure	40 PSI	Calibration	Preset, Quick List or Manual
Power Source	4 "AAA" batteries; strength indicator	Saved Calibrations	5
Wetted Materials	Polypropylene; 304 Stainless Steel; Ryton; Viton® seals	Dimensions	5¼" W x 7¼" H x 4¼" D
Housing Chamber	Polypropylene	Weight	1.5 lbs
Moisture Sealed	Yes; with sealed circuitry		

ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPAB-EV1KIT	1" Full Port Dura Electric Valve and Meter w/ Connectors & Plumbing Kit	\$3,362.00
DURA-ABV-B	Dura-Meter w/ Auto-Batch connector/cable for EVX Valve 12V (Viton®)	\$2,639.00



Video available at
duraproducts.com/videos

2" & 3" AUTO-BATCH™ HIGH-FLOW SYSTEM

Now with Bluetooth® wireless capability
Fast. Simple. Safe.

CROPLANDS



Auto-Batch™ Features

- Controls carrier flow using a 12-volt DC electric ball valve
- Easily select manual or automatic operation
- Returns to last volume amount dispensed for easy repeatable batching
- Displays message when batch is completed
- Relief valve plumbing kit for use with electric valve
- Dura 1" valve available for tank bypass system
- Banjo® EVX® 2" or 3" Valves available for tank bypass system

Special Features

- Start/stop batching remotely
- Fast Bluetooth® connection (no pairing required)
- Monitor real-time flow Field serviceable
- 100% moisture-sealed circuitry
- Ability to save up to five manual calibrations
- Option to display batch volume, total volume, and flow rate
- Volume measured can be displayed in Liters or Gallons
- Faceplate can be rotated in 90 degree increments
- Ability to calibrate allows for industry minimum straight line before/after meter


Upgrade your older
Auto-Batch™ High-Flow
Meter by ordering a new
Bluetooth® enabled faceplate
using part number
DP-ABHFM-FP.

SYSTEM CONTAINS

Valves	Custom Pressure Relief & Electric Valve
Meter	Auto-Batch™ High-Flow Meter
Other	All hose clamps, gaskets, reducer couplings, and tees

ORDERING INFORMATION

2"	EX GST
DPAB-HFM2KITV Viton®	\$9,398.00
DPAB-HFM2KITE EPDM	\$9,398.00
3"	EX GST
DPAB-HFM3KITV Viton®	\$13,111.00
DPAB-HFM3KITE EPDM	\$13,111.00





RELIEF VALVE KIT CONTAINS

Valve	Pressure Relief*
Other	All hose clamps, gaskets, reducer couplings, and tees.

*Note: Must use Dura custom relief valve

ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
2" DPAB-HFM2PRV	Dura Auto-Batch 2" High-Flow Meter Relief Valve Plumbing Kit	\$570.00
3" DPAB-HFM3PRV	Dura Auto-Batch 3" High-Flow Meter Relief Valve Plumbing Kit	\$901.00



ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
1" DPEV-100	1" Dura Electric Valve, 12 VDC, 0.8 Sec, ON/OFF T5 style fork fittings, Viton® O-ring	\$918.00
2" MEVX220-DP	2" Full Port Banjo EVX® Valve with Connector	\$2,606.00
3" MEVX300-DP	3" Full Port Banjo EVX® Valve with Connector	\$4,812.00



ORDERING INFORMATION

1"	EX GST
DPAB-HFM1V Viton®	\$3,927.00
DPAB-HFM1E EPDM	\$3,927.00
2"	EX GST
DPAB-HFM2V Viton®	\$6,558.00
DPAB-HFM2E EPDM	\$6,558.00
3"	EX GST
DPAB-HFM3V Viton®	\$7,867.00
DPAB-HFM3E EPDM	\$7,867.00

SPECIFICATIONS

	1"	2"	3"
Nominal Size	1"	2"	3"
Model	DPAB-HFM1	DPAB-HFM2	DPAB-HFM3
Connection	M100 flange	M220 flange	M300 flange
Meter Accuracy	+/- 0.5%*	+/- 0.5%*	+/- 0.5%*
Fluid Flow Initiates Measurement	Yes	Yes	Yes
Battery Size/Voltage	(2) 9 Volt	(2) 9 Volt	(2) 9 Volt
Battery Life Indicator	Yes	Yes	Yes
Backlit Display	Yes	Yes	Yes
Maximum Pressure	150 PSI	150 PSI	150 PSI
Min GPM	10	40	80
Max GPM	100	300	700
Min Temp	+ 32 °F	+ 32 °F	+ 32 °F
Max Temp	+ 140 °F	+ 140 °F	+ 140 °F
Meter Type/Style	Paddlewheel	Paddlewheel	Paddlewheel
Body Construction Material	GF Polypropylene	GF Polypropylene	GF Polypropylene
Paddle Wheel Bearing	Sapphire	Sapphire	Sapphire

*With manual calibration.

1" - 3" HIGH-FLOW DURA-METER™

CROPLANDS



1" High-Flow
Dura-Meter™



2" High-Flow
Dura-Meter™



3" High-Flow
Dura-Meter™

- Intuitive menu-driven backlit display
- Impact resistant Lexan™ faceplate
- 100% Moisture-sealed circuitry
- Multiple plumbing options
- Includes a 2-year Warranty & Maintenance Program

Special Features

- Easily serviced
- Extended battery life with use of (2) 9V batteries
- Fluid flow initiates measurement
- Versatile plumbing configurations
- Displays batch and total volume
- Gallons / Liters flow rate measurement

Note: See page 11 for specifications.

ORDERING INFORMATION

1"		EX GST
DP-HFM1V	1" High-Flow Dura Meter (Viton®)	\$2,174.00
DP-HFM1E	1" High-Flow Dura Meter (EPDM)	\$2,174.00
DP-HFM1S	1" High-Flow Dura Meter (Silicone)	\$2,231.00
2"		EX GST
DP-HFM2V	2" High-Flow Dura Meter (Viton®)	\$2,909.00
DP-HFM2E	2" High-Flow Dura Meter (EPDM)	\$2,909.00
DP-HFM2S	2" High-Flow Dura Meter (Silicone)	\$2,909.00
3"		EX GST
DP-HFM3V	3" High-Flow Dura Meter (Viton®)	\$3,657.00
DP-HFM3E	3" High-Flow Dura Meter (EPDM)	\$3,657.00
DP-HFM3S	3" High-Flow Dura Meter (Silicone)	\$3,657.00

DRONE FILL KITS

CROPLANDS



- Softer fluid transfer without causing shear on the encapsulation
- Self-priming diaphragm with internal by-pass
- High-flow Dura-Pump 15gpm mounted in Easy Caddy frame
- Kit comes with 20' discharge, 5' suction hose and required fittings
- Includes key FOB (12V only) to enable and disable power to the pump remotely
- Standard discharge ball valve nozzle
- Optional 3/4" poly auto-nozzle with stainless steel spout*
- Includes a 2-year Warranty & Maintenance Program



*Optional auto-nozzle

ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPDRONE-6018V-12	Dura Drone Fill Kit - 12 Volt	\$3,883.00
DPDRONE-6018V-110	Dura Drone Fill Kit - 110 Volt	\$4,053.00
DP-N4005	DEF Poly Auto Shut-off Nozzle w/Stainless Spout and Swivel	\$578.00

Always turn pump off and disconnect system from power when not in use. Tanks & Totes sold separately.

AUTO-BATCH™ DRONE HOT LOAD SYSTEMS



- Softer fluid transfer that minimizes shear when transferring formulations with encapsulation
- Self-priming diaphragm pumps with internal by-pass
- 4 High-flow Dura-Pumps™ (18gpm) mounted in Direct Injection frame
- 4 Dura Auto-Batch™ Meters mounted in Direct Injection frame
- System comes with all hoses, fittings, clamps, barbs and valves
- System available in 110 Volt and 12 Volt with Viton® Seals
- Includes a 2-year Warranty & Maintenance Program

ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPAB-DRONE1V-12	Drone 12 Volt Hot Load System	\$25,009.00
DPAB-DRONE1V-110	Drone 110 Volt Hot Load System	\$24,161.00

Always turn pump off and disconnect system from power when not in use. Tanks & Cones sold separately.

- Made of impact resistant Lexan™ faceplate
- 100% moisture-sealed circuitry
- Menu driven backlit display
- Plumbed both for in-line and 90-degree applications
- Includes a 2-year Warranty & Maintenance Program

Special Features

- Extended battery life with use of 4 “AAA” batteries
- Faceplate over-molded with Santoprene and filled with gel for improved shock resistance

SPECIFICATIONS	
Operating Temp	-10° F to 130° F, -23° C to 54° C
Flow Rate	2 to 20 GPM, 7.5 to 75.7 LPM
Meter Accuracy	+ / - .5%
Backlit Display	Yes
Maximum Pressure	40 PSI
Wetted Materials	Polypropylene; 304 Stainless Steel; Ryton; Viton®, EPDM, or Silicone seals

Customer should always check calibration before use.

ORDERING INFORMATION		EX GST
DP-3000V	Dura Meter (Viton®)	\$1,006.00
DP-3000E	Dura Meter (EPDM)	\$974.00
DP-3000S	Dura Meter (Silicone)	\$1,006.00



SPECIFICATIONS	
Vertical Suction Lift	Self-priming to 10ft, 3m
Power Cord	12 Volt: 20ft, 6m; 110 Volt: 6.5ft, 2m
Motor	¼ HP, 186W
Amps	12 Volt: 20; 110 Volt: 3.0
Suction Port	2" Male and 1" Female NPT thread
Discharge Port	1" Female NPT thread
Wetted Materials	Polypropylene; Santoprene; Viton®, EPDM, or Silicone seals; 304 Stainless Steel, PVDF (Kynar®)

ORDERING INFORMATION		
12 VOLT		EX GST
DP-6018V-12	12 Volt Dura-Pump (Viton®)	\$2,235.00
DP-6018E-12	12 Volt Dura-Pump (EPDM)	\$2,081.00
DP-6018S-12	12 Volt Dura-Pump (Silicon)	\$2,235.00
110 VOLT		EX GST
DP-6018V-110	110 Volt Dura-Pump (Viton®)	\$2,453.00
DP-6018E-110	110 Volt Dura-Pump (EPDM)	\$2,307.00
DP-6018S-110	110 Volt Dura-Pump (Silicone)	\$2,453.00

Always turn pump off and disconnect system from power when not in use.

DURA-PUMP™ EASY CADDY

CROPLANDS



TOP MOUNT

Easy Caddy secured on top of tote

GROUND

Easy Caddy used from the ground

SIDE MOUNT

Easy Caddy secured on side of tote

DRUM

Easily converted to a 30/55-Gallon Drum

MONSANTO TANK

Easily converted to a MTS

SNYDER TANK

Easily converted to a GEM Cap

PUMPING SYSTEM CONTAINS

Pump	High-Flow Dura-Pump™
Suction Hose	1" x 5ft, 1.5m
Discharge Hose	1" x 12ft, 3.6m
Nozzle	Ball valve
Camlock	2"
Meter	Dura-Meter™ (optional)
Other	All hose clamps, barbs and nipples

1 SYSTEM USE IT 6 WAYS

- The Easy Caddy can be mounted in six different configurations on a variety of tank/tote and drum types
- Use it mounted on top of a tank or on top of a 30/55-Gallon Drum, on the side of tank, or off the ground depending on user preference
- Conversion kits are available to mount a system on Monsanto or Snyder type tanks
- Includes a 2-year Warranty & Maintenance Program

ORDERING INFORMATION

PRODUCT #	DESCRIPTION	EX GST
DPEM-6318V-12	Dura-Pump Easy Caddy W/ Dura-Meter - 12 Volt (Viton®)	\$3,625.00
DPEM-6318E-12	Dura Pump Easy Caddy W/ Dura-Meter - 12 Volt (EPDM)	\$3,362.00
DPEM-6318S-12	Dura Pump Easy Caddy W/ Dura-Meter - 12 Volt (Silicone)	\$3,625.00
DPE-6018V-12	Dura-Pump Easy Caddy No Meter - 12 Volt (Viton®)	\$2,614.00
DPE-6018E-12	Dura-Pump Easy Caddy No Meter - 12 Volt (EPDM)	\$2,421.00
DPE-6018S-12	Dura-Pump Easy Caddy No Meter - 12 Volt (Silicone)	\$2,614.00
DPEM-6318V-110	Dura-Pump Easy Caddy W/ Dura-Meter - 110 Volt (Viton®)	\$3,839.00
DPEM-6318E-110	Dura-Pump Easy Caddy W/ Meter - 110 Volt (EPDM)	\$3,612.00
DPEM-6318S-110	Dura-Pump Easy Caddy W/ Dura-Meter - 110 Volt (Silicone)	\$3,839.00
DPE-6018V-110	Dura-Pump Easy Caddy No Meter - 110 Volt (Viton®)	\$2,845.00
DPE-6018E-110	Dura-Pump Easy Caddy No Meter - 110 Volt (EPDM)	\$2,659.00
DPE-6018S-110	Dura-Pump Easy Caddy No Meter - 110 Volt (Silicone)	\$2,845.00

Always turn pump off and disconnect system from power when not in use. Tanks & Cones sold separately.

DURA-PUMP™ EASY CADDY CONVERSION KITS

CROPLANDS

For Use On **MONSANTO TANK**
MTS Easy Caddy Conversion Kit **DP-AK0008**



1

Begin with the
Dura Easy Caddy



2

Remove Dura-Pump™
from Easy Caddy frame



3

Add MTS Kit
DP-AK0008



Dura MTS Kit
DP-AK0008 installed
on Monsanto tank

For Use On **SNYDER TANK**
GEM Cap Easy Caddy Conversion Kit **DP-AK0009**



1

Begin with the
Dura Easy Caddy



2

Remove Dura-Pump™
from Easy Caddy frame



3

Add GEM Cap Kit
DP-AK0009



Dura GEM Cap Kit
DP-AK0009 installed
on Snyder tank

For Recirculation On **IBC/TOTE**
Recirculation Kit **DP-AK0007**



1

Begin with the
Dura Easy Caddy



2

Add Recirculation Kit
DP-AK0007



Dura Recirculation Kit
DP-AK0007 installed
on IBC/TOTE

For Use On **30/55-GALLON DRUM**
1" NPT Telescoping Downtube **DP-T4001**



1

Begin with the
Dura Easy Caddy



2

Remove Dura-Pump™
from Easy Caddy frame



3

Add DP-T4001
1" NPT Telescoping
Downtube



DP-T4001
1" NPT Telescoping
Downtube installed on
30/55-Gallon Drum

DURA-PUMP™ SPECIALTY SYSTEMS

Tanks, Totes and Drums sold separately. Always turn pump off and disconnect from power when not in use.


CROPLANDS



DURA-PUMP™ QUICK CADDY

- Our premium highly portable system with built-in carry handle and rugged frame
- For use in multiple mounting applications both on top of tote and ground adaptable
- Includes a 2-year Warranty & Maintenance Program

PUMPING SYSTEM CONTAINS		ORDERING INFORMATION		
		PRODUCT #	DESCRIPTION	EX GST
Pump	High-Flow Dura-Pump™	DPQM-6318V-12 Viton®	12 Volt with meter	\$4,554.00
Suction Hose	1" x 5ft, 1.5m	DPQM-6318E-12 EPDM	12 Volt with meter	\$4,344.00
Discharge Hose	1" x 12ft, 3.6m	DPQ-6018V-12 Viton®	12 Volt no meter	\$3,641.00
Nozzle	Ball valve	DPQ-6018E-12 EPDM	12 Volt no meter	\$3,414.00
Camlock	2"	DPQM-6318V-110 Viton®	110 Volt with meter	\$4,828.00
Meter	Dura-Meter™ (optional)	DPQM-6318E-110 EPDM	110 Volt with meter	\$4,554.00
Other	All hose clamps, barbs and nipples	DPQ-6018V-110 Viton®	110 Volt no meter	\$3,927.00
		DPQ-6018E-110 EPDM	110 Volt no meter	\$3,689.00



DURA-PUMP™ TOP UNLOAD

- Top mount application with 2" NPT bung, 1" telescoping downtube to accommodate varying tank heights
- Includes a 2-year Warranty & Maintenance Program

PUMPING SYSTEM CONTAINS		ORDERING INFORMATION		
		PRODUCT #	DESCRIPTION	EX GST
Pump	High-Flow Dura-Pump™	DPTM-6318V-12	Dura-Pump Top Unload W/ Dura-Meter - 12 Volt (Viton®)	\$3,350.00
Suction Hose	1" x 12ft, 3.6m	DPTM-6318E-12	Dura-Pump Top Unload W/ Dura-Meter - 12 Volt (EPDM)	\$3,136.00
Discharge Hose	1" Telescoping	DPT-6018V-12	Dura-Pump Top Unload - 12 Volt (Viton®)	\$2,348.00
Nozzle	Ball valve	DPT-6018E-12	Dura-Pump Top Unload - 12 Volt (EPDM)	\$2,166.00
Meter	Dura-Meter™ (optional)	DPTM-6318V-110	Dura-Pump Top Unload W/ Dura-Meter - 110 Volt (Viton®)	\$3,576.00
Other	All hose clamps, barbs and nipples	DPTM-6318E-110	Dura-Pump Top Unload W/ Dura-Meter - 110 Volt (EPDM)	\$3,370.00
		DPT-6018V-110	Dura-Pump Top Unload - 110 Volt (Viton®)	\$2,574.00
		DPT-6018E-110	Dura-Pump Top Unload - 110 Volt (EPDM)	\$2,396.00



DURA-PUMP™ BOTTOM UNLOAD

- Configured to mount at bottom of tank/tote
- Includes a 2-year Warranty & Maintenance Program

PUMPING SYSTEM CONTAINS		ORDERING INFORMATION		
		PRODUCT #	DESCRIPTION	EX GST
Pump	High-Flow Dura-Pump™	DPBM-6318V-12	Dura-Pump Bottom Unload W/ Dura-Meter - 12 Volt (Viton®)	\$3,410.00
Discharge Hose	1" x 12ft, 3.6m	DPBM-6318E-12	Dura-Pump Bottom Unload W/ Dura-Meter - 12 Volt (EPDM)	\$3,192.00
Camlock	2"; direct attach to tote	DPB-6018V-12	Dura-Pump Bottom Unload - 12 Volt (Viton®)	\$2,421.00
Motor Bracket	Yes, rear	DPB-6018E-12	Dura-Pump Bottom Unload - 12 Volt (EPDM)	\$2,239.00
Nozzle	Ball valve	DPBM-6318V-110	Dura-Pump Bottom Unload W/ Dura-Meter - 110 Volt (Viton®)	\$3,620.00
Meter	Dura-Meter™ (optional)	DPBM-6318E-110	Dura-Pump Bottom Unload W/ Dura-Meter - 110 Volt (EPDM)	\$3,410.00
Other	All hose clamps, barbs and nipples	DPB-6018V-110	Dura-Pump Bottom Unload - 110 Volt (Viton®)	\$2,598.00
		DPB-6018E-110	Dura-Pump Bottom Unload - 110 Volt (EPDM)	\$2,461.00

DURA-PUMP™ SPECIALTY SYSTEMS

Tanks, Totes and Drums sold separately. Always turn pump off and disconnect from power when not in use.

CROPLANDS



MONSANTO TANK

Includes a 2-year Warranty & Maintenance Program

PUMPING SYSTEM CONTAINS		ORDERING INFORMATION		
		PRODUCT #	DESCRIPTION	EX GST
Pump	High-Flow Dura-Pump™	DPMTSM-6318V-12 Viton®	12 Volt with meter	\$3,523.00
Discharge Hose	1" x 12ft, 3.6m	DPMTSM-6318E-12 EPDM	12 Volt with meter	\$3,330.00
Camlock	MTS; direct attach to tote	DPMTS-6018V-12 Viton®	12 Volt no meter	\$2,517.00
Motor Bracket	Yes, rear	DPMTS-6018E-12 EPDM	12 Volt no meter	\$2,344.00
Nozzle	Ball valve	DPMTSM-6318V-110 Viton®	110 Volt with meter	\$3,742.00
Meter	Dura-Meter™ (optional)	DPMTSM-6318E-110 EPDM	110 Volt with meter	\$3,528.00
Other	All hose clamps, barbs and nipples	DPMTS-6018V-110 Viton®	110 Volt no meter	\$2,736.00
		DPMTS-6018E-110 EPDM	110 Volt no meter	\$2,566.00



SNYDER/GEM CAP TANK

Includes a 2-year Warranty & Maintenance Program

PUMPING SYSTEM CONTAINS		ORDERING INFORMATION		
		PRODUCT #	DESCRIPTION	EX GST
Pump	High-Flow Dura-Pump™	DPGEMM-6318V-12	Dura-Pump GEM Cap Recirculation W/ Dura-Meter - 12 Volt (Viton®)	\$3,721.00
Discharge Hose	1" x 12ft, 3.6m	DPGEMM-6318E-12	Dura-Pump GEM Cap Recirculation W/ Dura-Meter - 12 Volt (EPDM)	\$3,592.00
GEM Cap Lid	Spin collar; all plumbing assembled on pump	DPGEM-6018V-12	Dura-Pump GEM Cap Recirculation - 12 Volt (Viton®)	\$2,728.00
Motor Bracket	Yes; rear	DPGEM-6018E-12	Dura-Pump GEM Cap Recirculation - 12 Volt (EPDM)	\$2,554.00
Downtube	1" Telescoping	DPGEMM-6318V-110	Dura-Pump GEM Cap Recirculation W/ Dura-Meter - 110 Volt (Viton®)	\$3,948.00
Nozzle	Ball valve	DPGEMM-6318E-110	Dura-Pump GEM Cap Recirculation W/ Dura-Meter - 110 Volt (EPDM)	\$3,713.00
Meter	Dura-Meter™ (optional)	DPGEM-6018V-110	Dura-Pump GEM Cap Recirculation - 110 Volt (Viton®)	\$2,958.00
Other	All hose clamps, barbs and nipples	DPGEM-6018E-110	Dura-Pump GEM Cap Recirculation - 110 Volt (EPDM)	\$2,776.00



N-SERVE EASY CADDY

Includes a 2-year Warranty & Maintenance Program

ORDERING INFORMATION		PUMPING SYSTEM CONTAINS	
PRODUCT #	EX GST		
DPEM-6618NV-12 12 Volt with meter (Viton®)	\$5,253.00	Pump	High-Flow Dura-Pump™
DPEM-6618NV-110 110 Volt with meter (Viton®)	\$5,503.00	Discharge Hose	1" x 12ft, 3.6m; Premium XLPE
DPE-6618NV-12 12 Volt without meter (Viton®)	\$4,299.00	Suction Hose	1" x 5ft, 1.5m; Premium XLPE
DPE-6618NV-110 110 Volt without meter (Viton®)	\$4,505.00	Dry-Poppet Coupler	Available; sold separately
		Nozzle	Ball valve
		Meter	Dura-Meter™ (optional)
		Other	All hose clamps, barbs & nipples



N-SERVE BOTTOM UNLOAD

Includes a 2-year Warranty & Maintenance Program

ORDERING INFORMATION		PUMPING SYSTEM CONTAINS	
PRODUCT #	EX GST		
DPBM-6318NV-12 12 Volt with meter	\$4,727.00	Pump	High-Flow Dura-Pump™
DPBM-6318NV-110 110 Volt with meter	\$4,954.00	Discharge Hose	1" x 12ft, 3.6m; Premium XLPE
DPB-6018NV-12 12 Volt without meter	\$3,770.00	Motor Bracket	Yes; rear
DPB-6018NV-110 110 Volt without meter	\$3,847.00	Dry-Poppet Coupler	Available; sold separately
		Nozzle	Ball valve
		Meter	Dura-Meter™ (optional)
		Other	All hose clamps, barbs & nipples



- Made of impact resistant Lexan™ faceplate
- 100% moisture-sealed circuitry
- Same great menu driven backlit display
- Plumbed for both in-line and 90 degree applications
- Includes a 2-year Warranty & Maintenance Program

PUMPING SYSTEM CONTAINS

Operating Temp	-10 °F to 130 °F, -23 °C to 54 °C
Flow Rate	2 to 20GPM, 7.5 to 75.7LPM
ISO22241-3 Compliant	Yes
Meter Accuracy	+ / - .5%
Maximum Pressure	40 PSI
Wetted Materials	Polypropylene; 304 Stainless Steel; Ryton; EPDM seals

ORDERING INFORMATION

		EX GST
DP-3000D	DEF DURA-METER	\$974.00

DEF DURA-METER™



- High-Flow pump with up to 18GPM/68LPM free flow rate and 15+GPM/56+LPM with 3/4" discharge hose and nozzle
- Self-priming diaphragm pump with internal bypass
- Motor thermally protected from overheating
- 30-minute duty cycle
- Suction port has 2" Male NPT and 1" Female NPT
- Pump is easily field serviceable
- 10-minute auto-shut off motor (available in 110V only)
- Includes a 2-year Warranty & Maintenance Program

PUMPING SYSTEM CONTAINS

Check Valve	Internal; EPA 165.45 compliant
Vertical Suction Lift	Self-priming to 10ft, 3m
Power Cord	12 Volt: 20ft, 6m; 110 Volt: 6.5ft, 2m
Motor	1/4 HP, 186W
Amps	12 Volt: 20; 110 Volt: 3.0
Suction Port	2" Male and 1" Female NPT thread
Discharge Port	1" Female NPT thread
ISO22241-3 Compliant	Yes
Wetted Materials	Polypropylene; Santoprene; PVDF (Kynar®); 304 Stainless Steel; EPDM seals

ORDERING INFORMATION

		EX GST
DEF-6018E-12	12 Volt DEF Pump	\$2,219.00
DEF-6018E-110	110 Volt DEF Pump	\$2,279.00

DEF DURA-PUMP™ EASY CADDY TOP SUCTION

For totes with RPV type valve


CROPLANDS



PUMPING SYSTEM CONTAINS		ORDERING INFORMATION	
15+GPM Pump	High-Flow Dura-Pump™	MANUAL NOZZLE	EX GST
Coupler	RPV; MicroMatic	DEFE-6518ME-12 12 Volt	\$2,675.00
Discharge Hose	¾" x 18ft, 5.5m	DEFE-6518ME-110 110 Volt	\$2,732.00
Suction Hose	¾" x 1.5ft, 0.5m	AUTOMATIC NOZZLE	EX GST
Nozzle	Manual or Automatic	DEFE-6518AE-12 12 Volt	\$3,039.00
Meter	DEF Dura-Meter™ (optional)	DEFE-6518AE-110 110 Volt	\$3,103.00
Other	All hose clamps & fittings	DEF Dura-Meter™ DP-3000D (sold separately)	

Includes a 2-year Warranty & Maintenance Program

DEF DURA-PUMP™ TOP UNLOAD



PUMPING SYSTEM CONTAINS		ORDERING INFORMATION	
15+GPM Pump	High-Flow Dura-Pump™	MANUAL NOZZLE	EX GST
Downtube	1" Telescoping	DEFT-6018ME-12 DEF Top Unload - 12 Volt (Manual Nozzle)	\$2,122.00
Nozzle	Manual or Automatic	DEFT-6018ME-110 DEF TOP UNLOAD - 110 VOLT (MANUAL NOZZLE)	\$2,202.00
Discharge Hose	¾" x 18ft, 5.5m	AUTOMATIC NOZZLE	EX GST
Meter	DEF Dura-Meter™ (optional)	DEFT-6018AE-12 DEF Top Unload - 12 Volt (Auto-Shut-Off Nozzle)	\$2,631.00
Other	All hose clamps & fittings	DEFT-6018AE-110 DEF Top Unload - 110 Volt (Auto-Shut-Off Nozzle)	\$2,703.00
		DP-3000D DEF Dura-Meter	\$974.00

Includes a 2-year Warranty & Maintenance Program

DEF DURA-PUMP™ 135 PORTABLE TOTE

COMPLETE SYSTEM to TRANSPORT,
DISPENSE & STORE DIESEL EXHAUST FLUID

ALL-IN-1



PUMPING SYSTEM CONTAINS		ORDERING INFORMATION	
135-Gallon Tote	Specially designed to maintain the strictest purity of DEF	MANUAL NOZZLE	EX GST
Pump System	ISO/EPA compliant DEF Easy Caddy pumping system	DEFE-6518ME-12-135 12 Volt	\$5,107.00
Coupler	RPV; MicroMatic	DEFE-6518ME-110 -135 110 Volt	\$5,164.00
Discharge Hose	¾" x 18ft, 5.5m	AUTOMATIC NOZZLE	EX GST
Suction Hose	¾" x 1.5ft, 0.5m	DEFE-6518AE-12 -135 12 Volt	\$5,471.00
Lid	6"; Vented	DEFE-6518AE-110-135 110 Volt	\$5,536.00
Nozzle	Manual or Automatic	DEF Dura-Meter™ DP-3000D (sold separately)	\$974.00
Meter	DEF Dura-Meter™ (optional)		
Other	All hose clamps & fittings		

Includes a 2-year Warranty & Maintenance Program

DURA AUTO-BATCH™ METER



CROPLANDS

Upgrade your
DURA-PUMP™ to an
AUTO-BATCH™ SYSTEM

Video available at
DuraProducts.com/videos



ORDERING INFORMATION

PRODUCT #		EX GST
DPAB-12V	Dura-Meter w/ Auto-Batch-12V (Viton®)	\$2,639.00
DPAB-12E	Dura-Meter w/ Auto-Batch-12V (EPDM)	\$2,570.00
DPAB-15V	Dura-Meter w/ Auto-Batch-110V (Viton®)	\$2,639.00
DPAB-15E	Dura-Meter w/ Auto-Batch-110V (EPDM)	\$2,570.00

Always turn pump off and disconnect system from power when not in use. Never leave unattended while in use.

AG ACCESSORIES, PARTS, REPAIR KITS & TANKS



AG Dura-Pump™ Gasket Kit	EX GST
DP-G4001A-V Viton®	\$158.00
DP-G4001A-E EPDM	\$122.00
DP-G4001A-S Silicone	\$158.00



AG Dura-Pump™ Bottom Housing Kit with Bottom Gasket and Screws	EX GST
DP-H4001A-V Viton®	\$279.00
DP-H4001A-E EPDM	\$247.00
DP-H4001A-S Silicone	\$279.00



AG Dura-Pump™ Cartridge Kit with O-Ring and Bottom Gasket	EX GST
DP-P6017A-V Viton®	\$647.00
DP-P6017A-E EPDM	\$607.00
DP-P6017A-S Silicone	\$647.00



AG Dura-Meter™ Chemical Face Plate	EX GST
DP-MFP01	\$841.00
DP-MFP01-ABS Auto-Batch™	\$841.00
DP-ABHFM-FP	POA



AG Dura-Meter™ Body	EX GST
DP-PMB3000V Viton®	\$348.00
DP-PMB3000E EPDM	\$308.00
DP-PMB3000S Silicone	\$348.00



RSV / 3 Key Dispense Coupler, Viton® Seals	EX GST
DP-R4003	\$1,520.00



5-Gallon Calibration Jug	EX GST
DP-CALIUG	\$607.00



2" Cam Lock - TerraMax-200D	EX GST
DP-TM20CL	\$65.00



2" Monsanto Cam Lock	EX GST
DP-M4001	\$178.00



Dura 135 Gal Tank w/ EPA Check Valve, Black Lid w/ 2" NPT Bung	EX GST
DP-AG135	\$1,734.00

DURA PRODUCTS AG CHEMICAL CHART

CROPLANDS

COMPOUND	EPDM	VITON®	SILICONE
2,4-D Ester		●	
Accord® / Accord® XRT II	●	●	●
Acuron®	●		
Ammonium Sulfate	●	●	●
Atrazine	●	●	
Balance® Flexx	●	●	
Boundary®		●	
Callisto® 480SC	●		
Capreno®	●	●	
Corvus®	●	●	
Degree Xtra®	●	●	
Dicamba / Xtendimax®	●		
DiFlexx® Duo	●	●	
Duramax® / Durango®	●	●	●
Engenia®	●		
Enlist Duo®	●	●	●
EverGol®	●	●	
Foliars		●	
ForeFront®	●		
FulTime® NXT		●	
Fungicides		●	
Garlon® 3A	●		●
Gaucho® 600	●	●	
Gramoxone® / Paraquat		●	
Grazon® P+D / GrazonNext	●		
Halex® GT	●		
Huskie®		●	
Instinct®			●

COMPOUND	EPDM	VITON®	SILICONE
Intimidator®	●		●
Keystone® / Keystone® LA			●
Laudis®	●	●	
Lexar® EZ / Lumax® EZ	●		
Liberty®	●		
Lorsban® 4E / Lorsban® Advanced		●	
Matador®	●		●
Max-In® Ultra ZMB	●	●	
MSO / Crop Oil / Oil Based		●	
Nitrogen Based		●	
N-Serve® 24		●	
Parity™		●	
Prosaro®	●	●	
Prowl® / Pendimethalin		●	
Raxil® PRO	●	●	
Rely® 280	●	●	
Resicore®			●
Roundup®	●	●	
Shredder™ E-99		●	
Stratego® / Stratego® YLD	●		
Stylet-Oil		●	
SureStart® / SureStart® II			●
Surpass® EC	●		●
Tacoma®		●	
TopNotch®	●		
Tordon® 22k	●		
Warrant®		●	
Wolverine® Advanced		●	

The Dura Products Chemical Compatibility Chart should be considered as a guide only due to the many variables which may affect the compatibility of materials. This guide is based on the most recent information obtained from a variety of suppliers and chemical producers and is believed to be accurate. Actual decisions on materials used need to be tested and evaluated by the customer for each specific application. The responsibility of proper chemical compatibility of equipment and material used is the full responsibility of the customer. Dura Products does not warrant product damaged by non compatibility.

For help with the proper selection of a pump for your application needs, please call (317) 984-4003.



DURA PRODUCTS

Technology with Lasting Value

PO Box 380
504 Demoss Ave
Arcadia, IN 46030
(317) 984-4003

www.DuraProducts.com

